ANNEX

SUMMARY OF PRODUCT CHARACTERISTICS FOR A BIOCIDAL PRODUCT

WINKO TRAITEMENT BOIS UNIVERSEL

Product type(s)

PT08: Wood preservatives

Authorisation number: FR-2017-0049

R4BP asset number: FR-0012703-0000

1.	ADMIN	ISTRATIVE INFORMATION	3
	1.1.	Trade name(s) of the product	. 3
	1.2.	Authorisation holder	3
	1.3.	Manufacturer(s) of the product	3
	1.4.	Manufacturer(s) of the active substance(s)	. 3
2.	PRODU	CT COMPOSITION AND FORMULATION	5
	2.1.	Qualitative and quantitative information on the composition of the	
	produ	ıct	
	2.2.	-Jr-(~)	. 5
3.	HAZAR	D AND PRECAUTIONARY STATEMENTS	6
4.	AUTHO	ORISED USE(S)	7
	4.1.	Use description	. 7
	4.2.	Use description	. 8
	4.3.	Use description	. 9
5.	GENER	AL DIRECTIONS FOR USE	12
	5.1.	Instructions for use	12
	5.2.	Risk mitigation measures	12
	5.3.	Particulars of likely direct or indirect effects, first aid instructions and	
	emerg	gency measures to protect the environment	12
	5.4.	Instructions for safe disposal of the product and its packaging	12
	5.5.	Conditions of storage and shelf-life of the product under normal	
	condi	tions of storage	12
6.	OTHER	INFORMATION	13

1. ADMINISTRATIVE INFORMATION

1.1. Trade name(s) of the product

Trade name(s)	WINKO TRAITEMENT BOIS UNIVERSEL
Trade hame(s)	WHITE THE HELLE TO BOIS CITY ENGLE

1.2. Authorisation holder

Name and address of the authorisation holder	Name	V33
ivalile and address of the authorisation holder	Address	La Muyre 39210 Domblans France
Authorisation number		FR-2017-0049
R4BP asset number		FR-0012703-0000
Date of the authorisation		16/06/2017
Expiry date of the authorisation		30/04/2025

1.3. Manufacturer(s) of the product

Name of manufacturer	V33
Address of manufacturer	La Muyre 39210 Domblans France
Location of manufacturing sites	V33 site 1
	La Muyre 39210 Domblans France

1.4. Manufacturer(s) of the active substance(s)

Active substance	(RS)-α-cyano-3phenoxybenzyl-(1RS)-cis, trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (Cypermethrin)
Name of manufacturer	Arysta LifeScience Benelux
Address of manufacturer	26/1 Rue Renory BE-4102 Ougrée Belgium
Location of manufacturing sites	Arysta LifeScience Benelux site 1 Mitchell Cotts Chemicals - Steanard Lane, Mirfield WF14 8QB West Yorkshire United Kingdom of Great Britain and Northern Ireland (the) Arysta LifeScience Benelux site 2 Gharda Ltd - D, ½, MIDC, LOTE PARSHURAM TAL. KHED DIST. Ratnagiri 415 722 Maharashtra India

Active substance	tebuconazole
Name of manufacturer	LANXESS Deutschland GmbH - Material Protection Products
Address of manufacturer	Kennedyplatz 1 D-50569 Köln Germany
Location of manufacturing sites	LANXESS Deutschland GmbH - Material Protection Products site 1

Bayer Corp., Agriculture Division - P.O. Box 4913
Hawthorn Road MO 64120-0013 Kansas City United
States (the)

Active substance	1-[[2-(2,4-dichlorophenyl)-4-propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2,4-triazole (Propiconazole)
Name of manufacturer	LANXESS Deutschland GmbH - Material Protection Products
Address of manufacturer	Kennedyplatz 1 D-50569 Köln Germany
Location of manufacturing sites	LANXESS Deutschland GmbH - Material Protection Products site 1
	Syngenta Crop Protection AG CH-1870 Monthey Switzerland
	LANXESS Deutschland GmbH - Material Protection Products site 2
	Jiangsu Yangnong Chemical Group Co., Ltd - Wenfeng Road Jiangsu 225009, P.R. Yangzhou China
	LANXESS Deutschland GmbH - Material Protection Products site 3
	Jiangsu SevenContinent Green Chemical Co., Ltd - North Area of Dongsha Chem-Zone Jiangsu, 215600, P.R. Zhanjiagang China

2. PRODUCT COMPOSITION AND FORMULATION

2.1. Qualitative and quantitative information on the composition of the product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
(RS)-α- cyano-3phenoxyb (1RS)-cis, trans-3-(2,2- dichlorovinyl)-2,2 dimethylcycloproj (Cypermethrin)	2-	active substance	52315-07-8	257-842-9	0,17
tebuconazole	1-(4- chlorophenyl)-4,4 dimethyl-3- (1,2,4-triazol- 1- ylmethyl)pentan-3		107534-96-3	403-640-2	0,14
1-[[2-(2,4-dichlorophenyl)-4 propyl-1,3-dioxolan-2-yl]methyl]-1H-1,2 triazole (Propiconazole)		active substance	60207-90-1	262-104-4	0,13

2.2. Type(s) of formulation

EW Emulsion, oil in water

3. HAZARD AND PRECAUTIONARY STATEMENTS

Hazard statements	H410: Very toxic to aquatic life with long lasting effects.
	EUH208: Contains <name of="" sensitising="" substance="">. May produce an allergic reaction.</name>
	EUH210: Safety data sheet available on request.
Precautionary statements	P102: Keep out of reach of children.
	P103: Read carefully and follow all instructions.
	P273: Avoid release to the environment.
	P501: Dispose of {0::contents container} to {1::}.

4. AUTHORISED USE(S)

4.1. Use description

Table 1. Preventive treatment for wood of use classes 1 and 2

Product type	PT08: Wood preservatives
Where relevant, an exact description of the authorised use	Preventive treatment for wood of use classes 1 and 2
Target organism(s) (including development	Scientific name: Fungi: Fungi:
stage)	Common name: wood rotting fungi
	Development stage: no data
	Scientific name: Hylotrupes bajulus
	Common name: house longhorn beetle
	Development stage: no data
	Scientific name: Anobium punctatum
	Common name: common furniture beetle
	Development stage: no data
	Scientific name: Lyctus brunneus
	Common name: powder post beetles
	Development stage: no data
	Scientific name: Reticulitermes spp.
	Common name: termites
	Development stage: no data
	Scientific name: Heterotermes spp.
	Common name: termites
	Development stage: no data
Field(s) of use	indoor use
	Preventive treatment for wood on use classe 1 Preventive
	treatment for wood on use classe 2
Application method(s)	Method: Superficial application / brush
	Detailed description: Superficial application / brush
Application rate(s) and frequency	Application Rate: CU1 and 2 : 200 g of product / m² of wood
	Dilution (%): 0
	Number and timing of application:
	The produit is ready to use.
	The application is performed by brushing or spraying.
	The application rate is:
	- CU1 and 2 : 200 g of product / m ² of wood
Category(ies) of users	professional
Pack sizes and packaging material	The product is packed in
	- can in steel with polyethylene closure of 0.5L, 0.75L and 1L can in steel with polyethylene closure of 2.5L, 5L, 6L and
	20L tin in steel with polyethylane closure of 25L 20L and 60L
	- tin in steel with polyethylene closure of 25L, 30L and 60L tanks in steel of 215L.
	All cans are coated inside with an epoxy pigmented varnish
	1111 cans are coated inside with an epoxy pignicited variasii

4.1.1. Use-specific instructions for use

-

4.1.2. Use-specific risk mitigation measures

-

4.1.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.1.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

-

4.1.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

-

4.2. Use description

Table 2. Preventive treatment for wood of use classe 3

Product type	PT08: Wood preservatives
Where relevant, an exact description of the authorised use	Preventive treatment for wood on use classe 3
Target organism(s) (including development	Scientific name: Fungi: Fungi:
stage)	Common name: wood rotting fungi
	Development stage: no data
	Scientific name: Hylotrupes bajulus
	Common name: house longhorn beetle
	Development stage: no data
	Scientific name: Anobium punctatum
	Common name: common furniture beetle
	Development stage: no data
	Scientific name: Lyctus brunneus
	Common name: powder post beetles
	Development stage: no data
	Scientific name: Reticulitermes spp.
	Common name: termites
	Development stage: no data
	Scientific name: Heterotermes spp.
	Common name: termites
	Development stage: no data
Field(s) of use	outdoor use
	Preventive treatment for wood on use classe 3
Application method(s)	Method: spraying
	Detailed description: Superficial application / spray
Application rate(s) and frequency	Application Rate: CU3.1 : 200 g of product / m² of wood (with a top coat)

	Dilution (%): 0
	Number and timing of application: The produit is ready to use. The application is performed by brushing or spraying. The application rate is :CU3.1 : 200 g of product / m² of wood (with a top coat)
Category(ies) of users	professional
Pack sizes and packaging material	The product is packed in - can in steel with polyethylene closure of 0.5L, 0.75L and 1L - can in steel with polyethylene closure of 2.5L, 5L, 6L and 20L - tin in steel with polyethylene closure of 25L, 30L and 60L. - tanks in steel of 215L. All cans are coated inside with an epoxy pigmented varnish

4.2.1. Use-specific instructions for use

- For preventive treatment of wood on use class 3, a top coat should be applied

4.2.2. Use-specific risk mitigation measures

- The outdoor use of treated wood is allowed only if wood preservation is followed by the application of a top-coat which does not contain biocides. This top-coat has to be stable under the standard EN 927-2 in order to limit biocide leaching all along the service-life of wood.
- Do not apply where the product can reach surface water during outdoor application.
- For outdoor treatment, cover the ground with an appropriate plastic sheet to prevent any emission to the terrestrial compartment.
- For outdoor treatment, do not apply under rainfall or when rainfall is expected during the next 24 hours

4.2.3. Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

-

4.2.4. Where specific to the use, the instructions for safe disposal of the product and its packaging

_

4.2.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

_

4.3. Use description

Table 3. Curative treatment for wood in service

Product type	PT08: Wood preservatives
Where relevant, an exact description of the authorised use	Curative treatment for wood in service
Target organism(s) (including development stage)	Common name: house longhorn beetle
	Development stage: no data Scientific name: Anobium punctatum
	Common name: common furniture beetle Development stage: no data
	Scientific name: Lyctus brunneus

	Common name: powder post beetles Development stage: no data Scientific name: Reticulitermes spp. Common name: termites Development stage: no data Scientific name: Heterotermes spp.
	Common name: termites Development stage: no data
Field(s) of use	indoor use outdoor use
	Curative treatment for wood in service (except for wood in permanent contact with soil or submerged)
Application method(s)	Method: spraying
	Detailed description: Superficial application / spray Method: Superficial application / brush
	Detailed description: Superficial application / brush Method: open system: injection
	Detailed description: -
Application rate(s) and frequency	Application Rate: 300 g of product / m² of wood
	Dilution (%): 0
	Number and timing of application: The application is performed by brushing or spraying. The application rate is: - 300 g of product / m² of wood Application Rate: 300 g of product / m² of wood
	Dilution (%): 0
	Number and timing of application: The application is performed by brushing or spraying. The application rate is: - 300 g of product / m² of wood Application Rate: -
	Dilution (%): -
	Number and timing of application: 150 g product/m² wood
Category(ies) of users	professional
Pack sizes and packaging material	The product is packed in - can in steel with polyethylene closure of 0.5L, 0.75L and 1L - can in steel with polyethylene closure of 2.5L, 5L, 6L and 20L - tin in steel with polyethylene closure of 25L, 30L and 60L tanks in steel of 215L. All cans are coated inside with an epoxy pigmented varnish

4.3.1. Use-specific instructions for use

The curative treatments by injection are always carried out in combination with a curative treatment by superficial application.

4.3.2. Use-specific risk mitigation measures

- Curative treatments by brushing or spraying, combined with injection treatment, should only be applied to woods inaccessible to children (such as timber, lumber).
- The outdoor use of treated wood is allowed only if wood preservation is followed by the application of a top-coat which does not contain biocides. This top-coat has to be stable under the standard EN 927-2 in order to limit biocide leaching all along the service-life of wood.
- Do not apply where the product can reach surface water during outdoor application.
- For outdoor treatment, cover the ground with an appropriate plastic sheet to prevent any emission to the terrestrial compartment.
- For outdoor treatment, do not apply under rainfall or when rainfall is expected during the next 24 hours
- **4.3.3.** Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment
- 4.3.4. Where specific to the use, the instructions for safe disposal of the product and its packaging
- 4.3.5. Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

5. GENERAL DIRECTIONS FOR USE¹

5.1. Instructions for use

- Always read the label or leaflet before use and follow all the instructions provided.
- The users should inform if the treatment is ineffective and report straightforward to the authorisation holder

5.2. Risk mitigation measures

- ⁻ Wear protective chemical resistant gloves (glove material to be specified by the authorisation holder within the product information) and a coverall type VI during handling of the product for spray application.
- Keep out of reach of children
- ⁻ Do not apply on wood likely to be in contact with food, feed, drinks and livestock

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Skin contact: remove contaminated clothing and shoes. Wash contaminated skin with water. Seek medical advice or call a poison control centre if symptoms occur.

- ⁻ Eye contact: Immediately flush with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse with warm water for at least 15 minutes. Get medical attention if irritation or vision impairment occurs.
- Ingestion: Wash out mouth with water. Seek medical advice immediately or call a poison control centre.
- Inhalation of spray mist: Remove victim to fresh air and keep at rest in a half-sitting position. Seek medical advice immediately or call a poison control centre if symptoms occur.
- Do not drink or induce vomiting in case of impaired consciousness; place in recovery position and seek medical advice immediately.
- Keep the container or label available

5.4. Instructions for safe disposal of the product and its packaging

- Dispose of unused product, its packaging and all other waste (i.e. plastic sheet) in accordance with local regulations.
- Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down the drains.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf life: 3 years

¹Instructions for use, risk mitigation measures and other directions for use under this section are valid for any authorised uses.

6. OTHER INFORMATION

- The presence of propiconazole, MIT and BIT, skin sensitizer that may produce a allergic reaction, must be reported on the label.
- Treated wood should not be intended for uses involving contact with food, feed or livestock.