

Summary of product characteristics for a biocidal product

Product name: B-FDL

Product type(s): PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

Authorisation number: EU-0027467-0000

R4BP 3 asset reference number: EU-0027467-0017

Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	2
2. Product composition and formulation	3
2.1. Qualitative and quantitative information on the composition of the biocidal product	3
2.2. Type of formulation	3
3. Hazard and precautionary statements	4
4. Authorised use(s)	4
5. General directions for use	8
5.1. Instructions for use	8
5.2. Risk mitigation measures	8
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	8
5.4. Instructions for safe disposal of the product and its packaging	8
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	9
6. Other information	9

Administrative information

1.1. Trade names of the product

B-FDL

1.2. Authorisation holder

**Name and address of the
authorisation holder**

Name	Knieler & Team GmbH
Address	Kattrepelsbrücke 1 20095 Hamburg Germany
Authorisation number	EU-0027467-0000 1-7

**R4BP 3 asset reference
number**

EU-0027467-0017

Date of the authorisation

11/08/2022

**Expiry date of the
authorisation**

31/07/2032

1.3. Manufacturer(s) of the biocidal products

Name of the manufacturer

Knieler & Team GmbH

Address of the manufacturer

Kattrepelsbrücke 1 20095 Hamburg Germany
--

Location of manufacturing sites

Knieler & Team GmbH, Kattrepelsbrücke 1 20095 Hamburg Germany

A.F.P. Antiseptica Forschungs- und Produktionsgesellschaft mbH, Otto-Brenner-Straße 16-18 21337 Lüneburg Germany

1.4. Manufacturer(s) of the active substance(s)

Active substance	1354 - Propan-1-ol
Name of the manufacturer	OQ Chemicals GmbH (formerly Oxea GmbH)
Address of the manufacturer	Rheinpromenade 4a 40789 Monheim am Rhein Germany
Location of manufacturing sites	OQ Chemicals Corporation (formerly Oxea Corporation), 2001 FM 3057 TX 77414 Bay City United States

Active substance	1354 - Propan-1-ol
Name of the manufacturer	BASF SE
Address of the manufacturer	Carl-Bosch-Str. 38 67056 Ludwigshafen Germany
Location of manufacturing sites	BASF SE, Carl-Bosch-Str. 38 67056 Ludwigshafen Germany

Active substance	1354 - Propan-1-ol
Name of the manufacturer	SASOL Chemie GmbH & Co. KG
Address of the manufacturer	Secunda Chemical Operations, Sasol Place, 50 Katherine Street 2090 Sandton South Africa
Location of manufacturing sites	Secunda Chemical Operations, PDP Kruger Street 2302 Secunda South Africa

Active substance	1355 - Propan-2-ol
Name of the manufacturer	Stockmeier Chemie GmbH & Co. KG
Address of the manufacturer	Am Stadtholz 37 33609 Bielefeld Germany
Location of manufacturing sites	INEOS Solvent Germany GmbH, Römerstrasse 733 47443 Moers Germany

Active substance

1355 - Propan-2-ol

Name of the manufacturer

Brenntag GmbH

Address of the manufacturer

Stinnes-Platz 1 45472 Mülheim an der Ruhr Germany

Location of manufacturing sites

Shell Nederland Raffinaderij B.V. 3196 KK Rotterdam-Pernis Netherlands

Exxon Mobil LA 70805 Baton Rouge United States

Active substance

1355 - Propan-2-ol

Name of the manufacturer

INEOS Solvent Germany GmbH

Address of the manufacturer

Römerstrasse 733 47443 Moers Germany

Location of manufacturing sites

INEOS Solvent Germany GmbH, Römerstrasse 733 47443 Moers Germany

INEOS Solvent Germany GmbH, Shamrockstrasse 88 44623 Herne Germany

2. Product composition and formulation

2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	14,3
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,14

2.2. Type of formulation

AL - Any other liquid

3. Hazard and precautionary statements

Hazard statements

Highly flammable liquid and vapour.

Causes serious eye damage.

May cause drowsiness or dizziness.

Repeated exposure may cause skin dryness or cracking.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.

Keep container tightly closed.

Avoid breathing vapours.

Use only outdoors or in a well-ventilated area.

Wear eye protection.

Immediately call a POISON CENTER/doctor.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of container to an authorised waste collection point.

4. Authorised use(s)

4.1 Use description

Use 1 - hard non-porous small surface disinfection RTU liquid

Product type

PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised use

Not relevant

Target organism(s) (including development stage)

Scientific name: other
Common name: Bacteria
Development stage:

Scientific name: other
Common name: Yeasts
Development stage:

Scientific name: other
Common name: Enveloped viruses
Development stage:

Field(s) of use

Indoor

Health care facilities and pharmaceutical and cosmetic industry, for example in patient-near surrounding, working areas/desks, general equipment (excluding food contact surfaces): disinfection of small hard/non-porous surfaces.
For professional use only.

Application method(s)

Method: Manual application
Detailed description:

Ready-to-use surface disinfectant at room temperature (20±2 °C).
The entire surface to be disinfected is wetted by pouring or spraying from short distance and subsequently thoroughly wiped with a cloth. The amount of product should be sufficient (max. 50 ml/m²) to keep the surface wet during the contact time.

Application rate(s) and frequencies

Application Rate: Minimum exposure time: • for the control of bacteria, yeasts and enveloped viruses: 60 sec
Dilution (%): Ready-to-use product
Number and timing of application:
A reasonable frequency of disinfection in a patient's room is 1-2 per day. Maximum number of applications is 6 per day. No safety intervals need to be considered between the application phases.

Category(ies) of users

Industrial
Professional

Pack sizes and packaging material

125, 150, 500, 1000 ml transparent/white high-density polyethylene (HDPE) bottle with polypropylene (PP) flip top caps (accessory: PP screw closure with spray head);
5000 ml transparent/white HDPE canister with HDPE screwed cap.

4.1.1 Use-specific instructions for use

Surfaces should always be visibly clean prior to disinfection. Maximum number of applications is 6 per day.

4.1.2 Use-specific risk mitigation measures

See general directions for use of meta SPC 7

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 7

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 7

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 7

4.2 Use description

Use 2 - hard non-porous small surface disinfection RTU liquid

Product type

PT04 - Food and feed area (Disinfectants)

Where relevant, an exact description of the authorised use

Not relevant

Target organism(s) (including development stage)

Scientific name: other
Common name: Bacteria
Development stage:

Scientific name: other
Common name: Yeasts
Development stage:

Field(s) of use

Indoor

Health care facilities and in food industry, for example food preparation and handling in kitchens/restaurants): disinfection of small hard/non-porous surfaces.
For professional use only.

Application method(s)

Method: Manual application
Detailed description:

Ready-to-use surface disinfectant at room temperature (20±2 °C).
The entire surface to be disinfected is wetted by pouring or spraying from short distance and subsequently thoroughly wiped with a cloth. The amount of product should be sufficient (max. 50 ml/m²) to keep the surface wet during the contact time.

Application rate(s) and frequencies

Application Rate: Minimum exposure time: for the control of bacteria and yeasts at 20°C: 60 sec
Dilution (%): Ready-to-use product
Number and timing of application:
The products can be used as often as necessary. A reasonable frequency in kitchens is 1-2 per day. No safety intervals need to be considered between the application phases.

Category(ies) of users

Industrial
Professional

Pack sizes and packaging material

125, 150, 500, 1000 ml transparent/white high-density polyethylene (HDPE) bottle with polypropylene (PP) flip top caps (accessory: PP screw closure with spray head);
5000 ml transparent/white HDPE canister with HDPE screwed cap.

4.2.1 Use-specific instructions for use

Surfaces should always be visibly clean prior to disinfection.

4.2.2 Use-specific risk mitigation measures

See general directions for use of meta SPC 7

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 7

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 7

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 7

5. General directions for use

5.1. Instructions for use

For professional use only.

5.2. Risk mitigation measures

The use of eye protection during handling of the product is mandatory.
Keep out of reach of children.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First-aid measures general: Move the affected person away from the contaminated area. Get medical advice/attention if you feel unwell. If possible show this sheet.

IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTRE or a doctor.

IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse.

Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.

Information to Healthcare personnel/doctor:

The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid.

IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.

Accidental release measures: Stop leak if safe to do so. Remove ignition sources. Use special care to avoid static electric charges.

No open flames. No smoking. Prevent entry to sewers and public waters. Wipe up with absorbent material (for example cloth). Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Take up mechanically (sweeping, shovelling).

Dispose of in accordance with relevant local regulations.

5.4. Instructions for safe disposal of the product and its packaging

Disposal must be done according to official regulations. Do not empty into drains. Do not dispose of with domestic waste. Dispose of contents/container to an authorised waste collection point. Empty the packaging completely prior to disposal. When totally empty, containers are recyclable like any other packing.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life: 24 months

Store in dry, cool, well-ventilated area. Keep container tightly closed. Keep out of direct sunlight.

Recommended storage temperature: 0-30°C

Do not store at temperatures below 0°C

Do not store near food, drink and animal feedingstuff. Keep away from combustible material.

6. Other information