Summary of product characteristics for a biocidal product

Product name: CINQ SUR CINQ TROPIC NOUVELLE FORMULE

Product type(s): PT19 - Repellents and attractants (Pest control)

Authorisation number: FR-2019-0092

R4BP 3 asset reference number: FR-0013302-0005

Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	1
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	2
3. Hazard and precautionary statements	2
4. Authorised use(s)	3
5. General directions for use	5
5.1. Instructions for use	5
5.2. Risk mitigation measures	5
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	5
5.4. Instructions for safe disposal of the product and its packaging	5
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	5
6. Other information	5
	5

1.1. Trade names of the product

CINQ SUR CINQ TROPIC NOUVELLE FORMULE

Г

1.2. Authorisation holder

Name and address of the	Name	Laboratoire Chauvin
authorisation holder	Address	416 rue Samuel Morse CS 99535 34961 Montpellier Cedex 2 France
Authorisation number	FR-2019-0092 1-3	
R4BP 3 asset reference number	FR-0013302-0005	

Т

Date of the authorisation

Expiry date of the authorisation

FR-0013302-0005
23/07/2019
22/07/2029

1.3. Manufacturer(s) of the biocidal products

Name of the manufacturer	Laboratoire CHAUVIN
Address of the manufacturer	416 rue Samuel Morse - CS 99535 34961 Montpellier cedex 2 France
Location of manufacturing sites	FABRICATION CHIMIQUE ARDECHOISE LES ILES FERAYS 07300 Tournon cedex France

1.4. Manufacturer(s) of the active substance(s)

Active substance	1320 - Ethyl butylacetylaminopropionate
Name of the manufacturer	Merck KGaA
Address of the manufacturer	Frankfurter Strasse 250 64293 Darmstadt Germany
Location of manufacturing sites	Merck S.L.U. Poligono Merck 08100 Mollet del Valles Spain

2. Product composition and formulation

2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Ethyl butylacetylaminopropiona te		Active Substance	52304-36-6	257-835-0	35

2.2. Type of formulation

AL - Any other liquid	
-----------------------	--

3. Hazard and precautionary statements

Hazard statements	Flammable liquid and vapour.		
	Causes serious eye irritation. Contains 2-hexyl-3-phenyl-2- propenal (trans & cis), benzyl 2- hydroxybenzoate, (R)-p- mentha-1,8-diène, 3,7-dimethyl-6-octen-1- ol (citronellol). May produce an allergic reaction.		
Precautionary statements	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources No smoking. Wash thoroughly after handling.		
	IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.		
	If eye irritation persists:Get medical .		

4. Authorised use(s)

4.1 Use description

Use 1 - Skin repellent against mosquitoes

Product type	PT19 - Repellents and attractants (Pest control)
Where relevant, an exact description of the authorised use	Insect repellents
Target organism(s) (including development stage)	Scientific name: Aedes spp. Common name: Aedes mosquitoes Development stage: Adults
	Scientific name: Culex spp. Common name: Culex mosquitoes Development stage: Adults
	Scientific name: Anopheles spp. Common name: Anopheles mosquitoes Development stage: Adults
	Other
Field(s) of use	Guiei
	Skin application
Application method(s)	Method: Spraying Detailed description: Spraying on skin at 10 cm on head, hands (adults only), ¾ arms and 1/2 legs
Application rate(s) and frequencies	Application Rate: 0.48 mg / cm ² of skin Dilution (%): 0 Number and timing of application: Protection time: 5 hours in tropical conditions
	(Aedes spp. and Culex spp.: 6 hours Anopheles spp.: 5 hours)
	<u>For European conclusion:</u> Number and timing of application: Child to Adult (> 6 years): 1 application per day
	For French conclusion:
	Number and timing of application:

	Child from 2 years up to 11 years: 1 application per day - Child to Adult (> 11 years): 2 applications per day
Category(ies) of users	General public (non-professional)
Pack sizes and packaging material	Bottle spray: 75 mL HDPE for the bottle and PE-LD/PP for the dip tibe inside the bottle and PE-LD for the regulator on the spray and a Copolymer Polypropylene cap. Bottle spray: 100 mL HDPE for the bottle and PE-LD/PP for the dip tibe inside the bottle and PE-LD for the regulator on the spray and a Copolymer Polypropylene cap.

4.1.1 Use-specific instructions for use

4.1.2 Use-specific risk mitigation measures

-- For European conclusion: Do not apply the product more than one time per day

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

5. General directions for use

5.1. Instructions for use

- Always read the label or leaflet before use and follow all the instructions provided.
- Respect the recommended application doses
- The user should inform the registration holder if the treatment is ineffective
- The use of the product with other repellent products is not recommended.
- In case of a concomitant use of the product with sunscreen, first apply the sunscreen and wait 20 minutes before the application of the product.
- The protection time is only indicative. Environmental factors (e.g. high temperature, wind velocity) can modify it.
- Retreat after water exposure without exceeding the maximal recommended application number.

5.2. Risk mitigation measures

- Do not spray directly on the face, spray the product in the hand and then spread it onto the face.
- For children, the product must be applied by an adult.
- Do not apply on hands of children.
- Apply the product on skin and spread it uniformly with hands on following areas:
- Adults et children (> 11 years old): apply on head, neck, hands (palms and backs), lower arms, lower legs, feet and 70% of upper arms and thighs
- Children from 2 years to 11 years old: apply on head, neck, lower arms, lower legs, feet and 70% of upper arms and thighs
 Wash hands before handling food.
- Keep out of reach of children.
- Avoid breathing vapours/spray.
- Use only outdoors or in a well-ventilated area.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

Eye contact: Immediately flush with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses if easy to do. Continue to rinse with tepid water for at least 10 minutes. Get medical attention if irritation or vision impairment occurs.

Skin contact: In case of skin lesions, redness or persistent pain after application, consult a doctor.

Inhalation of large quantities: keep at rest in a half-sitting position. Seek medical advice immediately if symptoms occur. Mouth contact: Wash out mouth with water. Contact poison treatment specialist immediately if symptoms occur and/or in case of

mouth contact with large quantities.

Do not give fluids or induce vomiting in case of impaired consciousness; place in recovery position and seek medical advice immediately.

Keep the container or label available.

5.4. Instructions for safe disposal of the product and its packaging

- Do not discharge unused product on the ground, into water courses, into pipes (sink, toilets...) nor down the drains
- Dispose of unused product, its packaging and all other waste in accordance with local regulations.
- The packaging must not be reused.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

- Shelf-life: 48 months

6. Other information

- The study of long term storage should be provided in post-authorisation within 1 year. The particle size distribution after storage should be provided in post-authorisation within two years.

- Considering the importance of this active substance in vector control, the authorisation holder has to monitor the resistance phenomenon toward the active substance IR3535. Results of the resistance monitoring must be submitted to the Competent Authorities (CA) or other appointed bodies involved in resistance management every 5 years.

- Number of pump sprays indicated on the label should be in accordance with the application rate.