

Summary of product characteristics for a biocidal product

Product name: AGITA® 10WG

Product type(s): PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

Authorisation number: RO/2019/0224/MRA/UK-2018-1130

R4BP 3 asset reference number: RO-0026580-0000

Table Of Contents

Administrative information	1
1.1. Trade names of the product	1
1.2. Authorisation holder	1
1.3. Manufacturer(s) of the biocidal products	1
1.4. Manufacturer(s) of the active substance(s)	2
2. Product composition and formulation	2
2.1. Qualitative and quantitative information on the composition of the biocidal product	2
2.2. Type of formulation	3
3. Hazard and precautionary statements	3
4. Authorised use(s)	3
5. General directions for use	6
5.1. Instructions for use	6
5.2. Risk mitigation measures	6
5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment	6
5.4. Instructions for safe disposal of the product and its packaging	6
5.5. Conditions of storage and shelf-life of the product under normal conditions of storage	7
6. Other information	7

Administrative information

1.1. Trade names of the product

AGITA® 10WG

1.2. Authorisation holder

Name and address of the authorisation holder	Name	Elanco Animal Health Inc.
	Address	Mattenstrasse 24A 4058 Basel Switzerland
Authorisation number	RO/2019/0224/MRA/UK-2018-1130	
R4BP 3 asset reference number	RO-0026580-0000	
Date of the authorisation	01/02/2019	
Expiry date of the authorisation	11/06/2028	

1.3. Manufacturer(s) of the biocidal products

Name of the manufacturer	Kwizda Agro GmbH
Address of the manufacturer	Werk Leobendorf B6 Laaer Straße, Kwizda-Allee 1 2100 Leobendorf Austria
Location of manufacturing sites	Werk Leobendorf B6 Laaer Straße, Kwizda-Allee 1 2100 Leobendorf Austria

Name of the manufacturer	Schirm GmbH
Address of the manufacturer	Dieselstraße 8 85107 Baar-Ebenhausen Germany
Location of manufacturing sites	Dieselstraße 8 85107 Baar-Ebenhausen Germany

1.4. Manufacturer(s) of the active substance(s)

Active substance	54 - thiamethoxam
Name of the manufacturer	Syngenta Crop Protection AG
Address of the manufacturer	Schwarzwaldallee 215 4058 Basel Switzerland
Location of manufacturing sites	Schwarzwaldallee 215 4058 Basel Switzerland
Active substance	65 - cis-tricos-9-ene (Muscalure)
Name of the manufacturer	Denka International B.V.
Address of the manufacturer	Hanzeweg 1 3771 Barnveld Netherlands
Location of manufacturing sites	Hanzeweg 1 3771 Barnveld Netherlands

2. Product composition and formulation

2.1. Qualitative and quantitative information on the composition of the biocidal product

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
thiamethoxam	thiamethoxam	Active Substance	153719-23-4	428-650-4	10
cis-tricos-9-ene (Muscalure)	cis-Tricos-9-ene; (Z)-Tricos-9-ene	Active Substance	27519-02-4	248-505-7	0,05

2.2. Type of formulation

WG - Water dispersible granules

3. Hazard and precautionary statements

Hazard statements

Very toxic to aquatic life with long lasting effects.

Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read carefully and follow all instructions.

Avoid release to the environment.

Collect spillage.

Dispose of contents to an approved incinerator.

4. Authorised use(s)

4.1 Use description

Use 1 - House Fly - professional users - indoor; Litter Beetle - professional users - indoor

Product type

PT18 - Insecticides, acaricides and products to control other arthropods (Pest control)

Where relevant, an exact description of the authorised use

Insecticide

Target organism(s) (including development stage)

Scientific name: *Musca domestica*
Common name: House fly
Development stage: Adults

Scientific name: *Alphitobius diaperinus*
Common name: Litter Beetle
Development stage: Adults

Scientific name: *Alphitobius diaperinus*
Common name: Litter Beetle
Development stage: Larvae

Scientific name: *Alphitobius diaperinus*
Common name: Litter Beetle
Development stage: Pupae

Field(s) of use

Indoor

AGITA 10WG is a formulation suitable for the control of house flies in around animal housing including poultry, pig and dairy operations, stables, animal handling or holding facilities and other associated areas where housefly control is necessary. The product should be applied where flies are typically seen feeding or resting such as but not limited to window sills, tops of walls, pen partitions, and pathways. One or a combination of the following methods may be used: spraying, painting (walls or hang board).

AGITA 10WG is a formulation suitable for the control of litter beetles in poultry houses. The product should be applied by spray to bedding underneath feeders

Application method(s)

Method: Painting (Walls)

Detailed description:

As a paint-on solution for use inside animal houses against house flies. Mix and stir the indicated quantity of AGITA® 10 WG in the corresponding volume of lukewarm water in a separate container until a brushable paint is obtained.

Per 100 m2 wall, paint approximately 20 "spots" (approximately 10cm x 30cm) where flies congregate or settle, e.g. warm wall areas, pen partitions, posts, window frames, pipes, outside of feeding troughs etc.

100 g product in 80 ml water, to treat 80-120 m2 wall, approx. 20 spots
 250 g product in 200 ml water, to treat 200-300 m2 wall, approx. 50 spots
 400 g product in 320 ml water, to treat 320-480 m2 wall, approx. 80 spots
 1 Kg product in 800 ml water, to treat 800-1200 m2 wall, approx. 200 spot

Method: Painting (Hang-boards)

Detailed description:

As a paint-on solution to hang-boards for use inside animal houses against house flies. Paint strips of cardboard, wood or light boards and hang them from the ceiling. Mix and stir the indicated quantity of AGITA® 10 WG in the corresponding volume of lukewarm water in a separate container until a brushable paint is obtained. Apply the paint to hang-boards of approximately 20cm x 30cm or A4 size. Hang up to 10 boards/cards per 100 m2 of wall. 100 g product in 80 ml water, to treat approx. 10 A4-sized boards

250 g product in 200 ml water, to treat approx. 25 A4-sized boards
 400 g product in 320 ml water, to treat approx. 40 A4-sized boards
 1 Kg product in 800 ml water, to treat approx. 100 A4-sized boards

Method: Spraying (House Flies)

Detailed description:

As a low pressure spray application to walls inside animal houses against house flies. Mix and stir the indicated quantity of AGITA® 10 WG in the corresponding volume of lukewarm water in a separate container. To be sprayed where flies congregate or settle, e.g. warm wall areas, pen partitions, posts, window frames, pipes, outside of feeding troughs etc. Spray approx. 1/3 of the walls.

100 g product in 800 ml water, to treat 40-60 m2 wall
 250 g product in 2000 ml water, to treat 100-150 m2 wall
 400 g product in 3200 ml water, to treat 160-240 m2 wall
 1 kg product in 8000 ml water, to treat 800-1200 m2 wall

Method: Spraying (Litter Beetle)

Detailed description:

As a low pressure spray application to bedding under feeders in poultry houses against litter beetles. Mix and stir the indicated quantity of AGITA® 10 WG in the corresponding volume of lukewarm water in a separate container. In empty poultry houses, before re-stocking, under each feeder apply 500 ml of the mixed spray suspension per square meter of 3 cm thick bedding material.

100 g product in 800 ml water, to treat approx. 20 feeders
 250 g product in 2000 ml water, to treat approx. 50 feeders
 400 g product in 3200 ml water, to treat approx. 80 feeders
 1 kg product in 8000 ml water, to treat approx. 200 feeders

Application rate(s) and frequencies

Application Rate: 1.25g product/m2

Dilution (%): 56

Number and timing of application:

If necessary, applications may be repeated every 6 weeks. Reapply if dust has covered

the treated area or if insects have consumed the bait.

Application Rate: 1.25g product/m²
 Dilution (%): 56
 Number and timing of application:
 If necessary, applications may be repeated every 6 weeks. Reapply if dust has covered the treated area or if insects have consumed the bait.

Application Rate: 2.5g product/m²
 Dilution (%): 11
 Number and timing of application:
 If necessary, applications may be repeated every 6 weeks. Reapply if dust has covered the treated area or if insects have consumed the bait.

Application Rate: 1.25g/m²
 Dilution (%): 11
 Number and timing of application:
 If necessary, applications may be repeated every 6 weeks. Reapply if dust has covered the treated area or if insects have consumed the bait.

Category(ies) of users

Professional

Pack sizes and packaging material

Bottle - Plastic: HDPE - 100g
 Bottle - Plastic: HDPE - 250g
 Bottle - Plastic: HDPE - 400g
 Bottle - Plastic: HDPE - 1kg
 Bottle - Plastic: HDPE - 2kg
 Bottle - Plastic: HDPE - 5kg
 Sachet - PET/Al/PET/PE laminate - 20g

4.1.1 Use-specific instructions for use

No use-specific measures.

4.1.2 Use-specific risk mitigation measures

No use-specific measures.

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

No use-specific measures.

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

No use-specific measures.

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

No use-specific storage conditions.

5. General directions for use

5.1. Instructions for use

See section 4.

5.2. Risk mitigation measures

Only treat places out of reach of animals. Do not apply directly on animals, feed and drinking supplies nor milking equipment. The product contains the adverse agent deonatonium benzoate.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

General advice : Remove the affected person from the danger zone to a well-ventilated room or to fresh air, and protect from undercooling.
Inhalation : Move to fresh air.
Skin contact : Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
Eye contact : Rinse eyes with clean water for several minutes.
Ingestion : If swallowed, seek medical advice immediately and show this container or label
No specific antidote is known! Apply symptomatic therapy
Do not flush into surface water or sanitary sewer system.
Pick up and transfer to properly labelled containers.
Dispose of in an incinerator approved for chemicals.
Treat contaminated surfaces with water.
Put washing water in containers too, to avoid any contamination of surface and ground water, water supplies and drains. Hose down the area for a prolonged period. Heavily contaminated soil layers have to be dug out.
Spilled product cannot be used further and must be disposed of.
If safe disposal is not possible, contact the manufacturer, the dealer or the local representative.

5.4. Instructions for safe disposal of the product and its packaging

Product : Refer to protective measures listed in MSDS sections 7 and 8. Pick up and transfer to properly labelled containers. Dispose of in an incinerator approved for chemicals. In accordance with internal, local and national regulations. Spilled product cannot be used further and must be disposed of. If safe disposal is not possible, contact the manufacturer, the dealer or the local representative.
Contaminated packaging : Check possibilities of recycling large empty containers, drums and barrels.
Damaged Containers: Place original containers in specially marked larger ones.
Dispose of empty containers in an incinerator approved for chemicals. In accordance with internal, local and national regulations

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Keep away from food, drink and animal feeding stuffs
Storage temperature: : min. 2 °C - max. 30 °C
Store the product in closed original containers. Protect from light and humidity
Shelf life is at least 3 years from date of manufacture.

6. Other information

None.