

Summary of product characteristics for a biocidal product family

Family name: Knieler & Team Propanol Family

Product type(s): PT01 - Human hygiene (Disinfectants)

PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

Authorisation number: EU-0027467-0000

R4BP 3 asset reference number: EU-0027467-0000

Table Of Contents

Part I.- First information level	1
1. Administrative information	1
2. Product family composition and formulation	3
Part II.- Second information level - meta SPC(s)	4
1. Meta SPC administrative information - meta SPC 1	4
2. Meta SPC composition	4
3. Hazard and precautionary statements of the meta SPC	5
4. Authorised use(s) of the meta SPC	5
5. General directions for use of the meta SPC	9
6. Other information	10
7. Third information level: individual products in the meta SPC	11
1. Meta SPC administrative information - meta SPC 2	12
2. Meta SPC composition	13
3. Hazard and precautionary statements of the meta SPC	13
4. Authorised use(s) of the meta SPC	14
5. General directions for use of the meta SPC	18
6. Other information	19
7. Third information level: individual products in the meta SPC	19
1. Meta SPC administrative information - meta SPC 3	20
2. Meta SPC composition	20
3. Hazard and precautionary statements of the meta SPC	21
4. Authorised use(s) of the meta SPC	21
5. General directions for use of the meta SPC	25
6. Other information	27
7. Third information level: individual products in the meta SPC	27
1. Meta SPC administrative information - meta SPC 4	28
2. Meta SPC composition	29
3. Hazard and precautionary statements of the meta SPC	29

4. Authorised use(s) of the meta SPC	30
5. General directions for use of the meta SPC	34
6. Other information	35
7. Third information level: individual products in the meta SPC	35
1. Meta SPC administrative information - meta SPC 5	36
2. Meta SPC composition	37
3. Hazard and precautionary statements of the meta SPC	37
4. Authorised use(s) of the meta SPC	38
5. General directions for use of the meta SPC	42
6. Other information	43
7. Third information level: individual products in the meta SPC	43
1. Meta SPC administrative information - meta SPC 6	44
2. Meta SPC composition	45
3. Hazard and precautionary statements of the meta SPC	45
4. Authorised use(s) of the meta SPC	46
5. General directions for use of the meta SPC	50
6. Other information	51
7. Third information level: individual products in the meta SPC	51
1. Meta SPC administrative information - meta SPC 7	53
2. Meta SPC composition	54
3. Hazard and precautionary statements of the meta SPC	54
4. Authorised use(s) of the meta SPC	55
5. General directions for use of the meta SPC	58
6. Other information	59
7. Third information level: individual products in the meta SPC	60
1. Meta SPC administrative information - meta SPC 8	61
2. Meta SPC composition	61
3. Hazard and precautionary statements of the meta SPC	62
4. Authorised use(s) of the meta SPC	62
5. General directions for use of the meta SPC	66

6. Other information	68
7. Third information level: individual products in the meta SPC	68
1. Meta SPC administrative information - meta SPC 9	69
2. Meta SPC composition	69
3. Hazard and precautionary statements of the meta SPC	70
4. Authorised use(s) of the meta SPC	70
5. General directions for use of the meta SPC	75
6. Other information	76
7. Third information level: individual products in the meta SPC	76

Part I.- First information level

1. Administrative information

1.1. Family name

Knieler & Team Propanol Family

1.2. Product type(s)

PT01 - Human hygiene (Disinfectants)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

1.3. Authorisation holder

**Name and address of the
authorisation holder**

Name

Knieler & Team GmbH

Address

Kattrepelsbrücke 1 20095 Hamburg Germany

Authorisation number

EU-0027467-0000

**R4BP 3 asset reference
number**

EU-0027467-0000

Date of the authorisation

11/08/2022

**Expiry date of the
authorisation**

31/07/2032

1.4. Manufacturer(s) of the biocidal products

Name of the manufacturer	Knieler & Team GmbH
Address of the manufacturer	Kattrepelsbrücke 1 20095 Hamburg Germany
Location of manufacturing sites	Knieler & Team GmbH, Kattrepelsbrücke 1 20095 Hamburg Germany A.F.P. Antiseptica Forschungs- und Produktionsgesellschaft mbH, Otto-Brenner-Straße 16-18 21337 Lüneburg Germany

1.5. Manufacturer(s) of the active substance(s)

Active substance	1354 - Propan-1-ol
Name of the manufacturer	OQ Chemicals GmbH (formerly Oxea GmbH)
Address of the manufacturer	Rheinpromenade 4a 40789 Monheim am Rhein Germany
Location of manufacturing sites	OQ Chemicals Corporation (formerly Oxea Corporation), 2001 FM 3057 TX 77414 Bay City United States

Active substance	1354 - Propan-1-ol
Name of the manufacturer	BASF SE
Address of the manufacturer	Carl-Bosch-Str. 38 67056 Ludwigshafen Germany
Location of manufacturing sites	BASF SE, Carl-Bosch-Str. 38 67056 Ludwigshafen Germany

Active substance	1354 - Propan-1-ol
Name of the manufacturer	SASOL Chemie GmbH & Co. KG
Address of the manufacturer	Secunda Chemical Operations, Sasol Place, 50 Katherine Street 2090 Sandton South Africa
Location of manufacturing sites	Secunda Chemical Operations, PDP Kruger Street 2302 Secunda South Africa

Active substance	1355 - Propan-2-ol
Name of the manufacturer	Stockmeier Chemie GmbH & Co. KG
Address of the manufacturer	Am Stadtholz 37 33609 Bielefeld Germany
Location of manufacturing sites	INEOS Solvent Germany GmbH, Römerstrasse 733 47443 Moers Germany

Active substance	1355 - Propan-2-ol
Name of the manufacturer	Brenntag GmbH
Address of the manufacturer	Stinnes-Platz 1 45472 Mülheim an der Ruhr Germany
Location of manufacturing sites	Shell Nederland Raffinaderij B.V. 3196 KK Rotterdam-Pernis Netherlands
	Exxon Mobil LA 70805 Baton Rouge United States

Active substance	1355 - Propan-2-ol
Name of the manufacturer	INEOS Solvent Germany GmbH
Address of the manufacturer	Römerstrasse 733 47443 Moers Germany
Location of manufacturing sites	INEOS Solvent Germany GmbH, Römerstrasse 733 47443 Moers Germany
	INEOS Solvent Germany GmbH, Shamrockstrasse 88 44623 Herne Germany

2. Product family composition and formulation

2.1. Qualitative and quantitative information on the composition of the family

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	12,229 - 35
Propan-2-ol		Active Substance	67-63-0	200-661-7	30 - 63,14

2.2. Type(s) of formulation

AL - Any other liquid

Part II.- Second information level - meta SPC(s)

1. Meta SPC administrative information

1.1. Meta SPC identifier

meta SPC 1

1.2. Suffix to the authorisation number

1-1

1.3 Product type(s)

PT01 - Human hygiene (Disinfectants)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	30 - 32,5
Propan-2-ol		Active Substance	67-63-0	200-661-7	45 - 45

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Flammable liquid and vapour.
Causes serious eye damage.
May cause drowsiness or dizziness.
Repeated exposure may cause skin dryness or cracking.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.
Keep container tightly closed.
Avoid breathing vapours.
Use only outdoors or in a well-ventilated area.
IF INHALED:Remove person to fresh air and keep comfortable for breathing.
IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
Store in a well-ventilated place.Keep cool.
Store locked up.
Dispose of container to an authorised waste collection point.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - hygienic handrub, liquid

Product type

PT01 - Human hygiene (Disinfectants)

Where relevant, an exact description of the authorised use

Not relevant

Target organism(s) (including development stage)

Scientific name: other
Common name: Bacteria
Development stage:

Scientific name: other
 Common name: Mycobacteria
 Development stage:

Scientific name: other
 Common name: Yeasts
 Development stage:

Scientific name: other
 Common name: Enveloped viruses
 Development stage:

Field(s) of use

Indoor

- hospitals and other health care institutions, ambulances, surgeries, nursing homes (including home-care of patients)
- hospital canteens, large kitchens, pharmaceutical industries, production sites, laboratories: hygienic handrub onto visibly clean and dry hands
- for professional use only

Application method(s)

Method: Manual application
 Detailed description:
 Rubbing

Application rate(s) and frequencies

Application Rate: Dosage: At least 3 ml (use dispensers: for example set to 1,5 ml per stroke, 2 strokes per 3 ml) Contact time: 30 s
 Dilution (%): Ready-to-use product
 Number and timing of application:
 There is no restriction in the number and timing of applications. No safety intervals need to be considered between the application phases.
 The product may be used at any time and as often as required.

Category(ies) of users

Industrial
 Professional

Pack sizes and packaging material

100, 125, 500, 1000 ml in transparent/white high-density polyethylene (HDPE) bottles with polypropylene (PP) flip top caps;
 5000 ml transparent/white HDPE canister with HDPE screwed cap.

In addition, exclusively for E-HDL (product 1.2):
 500 and 1000 ml in transparent HDPE lightweight bottle with integrated PP pump.

4.1.1 Use-specific instructions for use

The products can be applied directly or the products can be used in a dispenser or with a pump.

For hygienic handrub use 3 ml of product and keep hands wet for 30 seconds.

Do not refill.

4.1.2 Use-specific risk mitigation measures

See general directions for use of meta SPC 1

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 1

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 1

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 1

4.2 Use description

Use 2 - surgical handrub, liquid

Product type

PT01 - Human hygiene (Disinfectants)

Where relevant, an exact description of the authorised use

Not relevant

Target organism(s) (including development stage)

Scientific name: other
Common name: Bacteria
Development stage:

Scientific name: other
Common name: Mycobacteria
Development stage:

Scientific name: other
Common name: Yeasts
Development stage:

Scientific name: other

	<p>Common name: enveloped viruses Development stage:</p>
Field(s) of use	<p>Indoor</p> <p>Hospitals and other health care institutions: surgical handrub onto visibly clean and dry hands and forearms. For professional use only.</p>
Application method(s)	<p>Method: Manual application Detailed description: Rubbing</p>
Application rate(s) and frequencies	<p>Application Rate: Dosage: Rub sufficient amount in portions of 3 ml (use dispensers: for example set to 1,5 ml per stroke, 2 strokes per 3 ml). Contact time: 90 s Dilution (%): Ready-to-use product Number and timing of application: There is no restriction in the number and timing of applications. No safety intervals need to be considered between the application phases. The product may be used at any time and as often as required.</p>
Category(ies) of users	<p>Professional</p>
Pack sizes and packaging material	<p>100, 125, 500, 1000 ml in transparent/white high-density polyethylene (HDPE) bottles with polypropylene (PP) flip top caps; 5000 ml transparent/white HDPE canister with HDPE screwed cap. In addition, exclusively for E-HDL (product 1.2): 500 and 1000 ml in transparent HDPE lightweight bottle with integrated PP pump.</p>

4.2.1 Use-specific instructions for use

The products can be applied directly or the products can be used in a dispenser or with a pump.
For surgical handrub use as many portions of 3 ml as necessary to keep hands wet for 90 seconds.

Do not refill.

4.2.2 Use-specific risk mitigation measures

See general directions for use of meta SPC 1

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 1

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 1

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 1

5. General directions for use of the meta SPC

5.1. Instructions for use

For professional use only.

5.2. Risk mitigation measures

Avoid contact with eyes.
Keep out of reach of children.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First-aid measures general: Move the affected person away from the contaminated area. Get medical advice/attention if you feel unwell. If possible, show this sheet.

IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTRE or a doctor.

IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse.

Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.

Information to Healthcare personnel/doctor:

The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid.

IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.

Accidental release measures:

Stop leak if safe to do so. Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

Prevent entry to sewers and public waters.

Wipe up with absorbent material (for example cloth). Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Take up mechanically (sweeping, shovelling). Dispose of in accordance with relevant local regulations.

5.4. Instructions for safe disposal of the product and its packaging

Disposal must be done according to official regulations. Do not empty into drains. Do not dispose of with domestic waste. Dispose of contents/container to an authorised waste collection point. Empty the packaging completely prior to disposal. When totally empty, containers are recyclable like any other packing.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life: 24 months

Store in dry, cool, well-ventilated area. Keep container tightly closed. Keep out of direct sunlight.

Recommended storage temperature: 0-30°C

Do not store at temperatures below 0°C

Do not store near food, drink and animal feedingstuff. Keep away from combustible material.

6. Other information

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	A-HDL	Market area: EU
Authorisation number <small>(R4BP 3 asset reference number - National Authorisation)</small>	EU-0027467-0001 1-1	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	32,5
Propan-2-ol		Active Substance	67-63-0	200-661-7	45

Trade name(s)	E-HDL	Market area: EU
Authorisation number <small>(R4BP 3 asset reference number - National Authorisation)</small>	EU-0027467-0002 1-1	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	30

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-2-ol		Active Substance	67-63-0	200-661-7	45

Trade name(s)

H-HDL

Market area: EU

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

EU-0027467-0003 1-1

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	30
Propan-2-ol		Active Substance	67-63-0	200-661-7	45

1. Meta SPC administrative information

1.1. Meta SPC identifier

meta SPC 2

1.2. Suffix to the authorisation number

1-2

1.3 Product type(s)

PT01 - Human hygiene (Disinfectants)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	20 - 20
Propan-2-ol		Active Substance	67-63-0	200-661-7	60 - 60

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Highly flammable liquid and vapour.
Causes serious eye damage.
May cause drowsiness or dizziness.
Repeated exposure may cause skin dryness or cracking.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.
Keep container tightly closed.
Avoid breathing vapours.
Use only outdoors or in a well-ventilated area.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of container to an authorised waste collection point.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - hygienic handrub, liquid

Product type	PT01 - Human hygiene (Disinfectants)
Where relevant, an exact description of the authorised use	Not relevant
Target organism(s) (including development stage)	<p>Scientific name: other Common name: Bacteria Development stage:</p> <p>Scientific name: other Common name: Tuberculosis bacilli Development stage:</p> <p>Scientific name: other Common name: Yeasts Development stage:</p> <p>Scientific name: other Common name: Enveloped viruses Development stage:</p>
Field(s) of use	<p>Indoor</p> <ul style="list-style-type: none"> - hospitals and other health care institutions, ambulances, surgeries, nursing homes (including home-care of patients) - hospital canteens, large kitchens, pharmaceutical industries, production sites, laboratories: hygienic handrub onto visibly clean and dry hands - for professional use only.
Application method(s)	<p>Method: Manual application Detailed description: Rubbing</p>
Application rate(s) and frequencies	<p>Application Rate: Dosage: At least 3 ml (use dispensers: for example set to 1,5 ml per stroke, 2 strokes per 3 ml). Contact time: 30 s Dilution (%): Ready-to-use product</p>

	<p>Number and timing of application: There is no restriction in the number and timing of applications. No safety intervals need to be considered between the application phases. The product may be used at any time and as often as required.</p>
Category(ies) of users	<p>Industrial</p> <p>Professional</p>
Pack sizes and packaging material	<p>150, 500, 1000 ml in transparent/white high-density polyethylene (HDPE) bottles with polypropylene (PP) flip top caps; 5000 ml HDPE canister with transparent/white HDPE screwed cap; 700 and 1000 ml vacuum bag in white PE composite foil with integrated PP pump/valve and PE cap.</p>

4.1.1 Use-specific instructions for use

The products can be applied directly or the products can be used in a dispenser or with a pump.
 For hygienic handrub use 3 ml of product and keep hands wet for 30 seconds.
 Do not refill.

4.1.2 Use-specific risk mitigation measures

See general directions for use of meta SPC 2

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 2

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 2

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 2.

4.2 Use description

Use 2 - surgical handrub, liquid

Product type

PT01 - Human hygiene (Disinfectants)

Where relevant, an exact description of the authorised use

Not relevant

Target organism(s) (including development stage)

Scientific name: other
Common name: Bacteria
Development stage:

Scientific name: other
Common name: Tuberculosis bacilli
Development stage:

Scientific name: other
Common name: Yeasts
Development stage:

Scientific name: other
Common name: enveloped viruses
Development stage:

Field(s) of use

Indoor

Hospitals and other health care institutions: surgical handrub onto visibly clean and dry hands and forearms.
For professional use only.

Application method(s)

Method: Manual application
Detailed description:
Rubbing

Application rate(s) and frequencies

Application Rate: Dosage: Rub sufficient amount in portions of 3 ml (use dispensers: for example set to 1,5 ml per stroke, 2 strokes per 3 ml Contact time: 90 s
Dilution (%): Ready-to-use product
Number and timing of application:
There is no restriction in the number and timing of applications. No safety intervals need to be considered between the application phases.
The product may be used at any time and as often as required.

Category(ies) of users

Professional

Pack sizes and packaging material

150, 500, 1000 ml in transparent/white high-density polyethylene (HDPE) bottles with polypropylene (PP) flip top caps;
5000 ml HDPE canister with transparent/white HDPE screwed cap;
700 and 1000 ml vacuum bag in white PE composite foil with integrated PP pump/valve and PE cap.

4.2.1 Use-specific instructions for use

The product can be applied directly or the product can be used in a dispenser or with a pump.

For surgical handrub use as many portions of 3 ml as necessary to keep hands wet for 90 seconds.
Do not refill.

4.2.2 Use-specific risk mitigation measures

See general directions for use of meta SPC 2

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta 2

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta 2

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta 2

5. General directions for use of the meta SPC

5.1. Instructions for use

For professional use only.

5.2. Risk mitigation measures

Avoid contact with eyes.
Keep out of reach of children.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First-aid measures general: Move the affected person away from the contaminated area. Get medical advice/attention if you feel unwell. If possible, show this sheet.
IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTRE or a doctor.
IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.
IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.
Information to Healthcare personnel/doctor:
The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid.
IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.

Accidental release measures:
Stop leak if safe to do so. Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. Prevent entry to sewers and public waters.
Wipe up with absorbent material (for example cloth). Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Take up mechanically (sweeping, shovelling). Dispose of in accordance with relevant local regulations.

5.4. Instructions for safe disposal of the product and its packaging

Disposal must be done according to official regulations. Do not empty into drains. Do not dispose of with domestic waste. Dispose of contents/container to an authorised waste collection point. Empty the packaging completely prior to disposal. When totally empty, containers are recyclable like any other packing.

--

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life: 24 months
Store in dry, cool, well-ventilated area. Keep container tightly closed. Keep out of direct sunlight.
Recommended storage temperature: 0-30°C
Do not store at temperatures below 0°C
Do not store near food, drink and animal feedingstuff. Keep away from combustible material.

6. Other information

--

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	C-HDL	Market area: EU
Authorisation number <small>(R4BP 3 asset reference number - National Authorisation)</small>	EU-0027467-0004 1-2	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	20
Propan-2-ol		Active Substance	67-63-0	200-661-7	60

1. Meta SPC administrative information

1.1. Meta SPC identifier

meta SPC 3

1.2. Suffix to the authorisation number

1-3

1.3 Product type(s)

PT01 - Human hygiene (Disinfectants)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	12,229 - 14,3
Propan-2-ol		Active Substance	67-63-0	200-661-7	62,751 - 63,14

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

3. Hazard and precautionary statements of the meta SPC**Hazard statements**

Highly flammable liquid and vapour.

Causes serious eye damage.

May cause drowsiness or dizziness.

Repeated exposure may cause skin dryness or cracking.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.

Keep container tightly closed.

Avoid breathing vapours.

Use only outdoors or in a well-ventilated area.

IF INHALED:Remove person to fresh air and keep comfortable for breathing.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Store in a well-ventilated place.Keep cool.

Store locked up.

Dispose of container to an authorised waste collection point.

4. Authorised use(s) of the meta SPC**4.1 Use description****Use 1 - hygienic handrub, liquid****Product type**

PT01 - Human hygiene (Disinfectants)

Where relevant, an exact description of the authorised use

Not relevant

Target organism(s) (including development stage)

Scientific name: other
Common name: Bacteria
Development stage:

Scientific name: other
Common name: Tuberculosis bacilli

	<p>Development stage:</p> <p>Scientific name: other Common name: Yeasts Development stage:</p> <p>Scientific name: other Common name: Enveloped viruses Development stage:</p>
Field(s) of use	<p>Indoor</p> <ul style="list-style-type: none"> - hospitals and other health care institutions, ambulances, surgeries, nursing homes (including home-care of patients) - hospital canteens, large kitchens, pharmaceutical industries, production sites, laboratories: hygienic handrub onto visibly clean and dry hands - For professional use only.
Application method(s)	<p>Method: Manual application Detailed description: Rubbing</p>
Application rate(s) and frequencies	<p>Application Rate: Dosage: At least 3 ml (use dispensers: for example set to 1,5 ml per stroke, 2 strokes per 3 ml). Contact time: 30 s Dilution (%): Ready-to-use product Number and timing of application: There is no restriction in the number and timing of applications. No safety intervals need to be considered between the application phases. The product may be used at any time and as often as required.</p>
Category(ies) of users	<p>Industrial</p> <p>Professional</p>
Pack sizes and packaging material	<p>100, 125, 150, 500, 1000 ml in transparent/white high-density polyethylene (HDPE) bottles with polyethylene (PP) flip top caps; 5000 ml transparent/white HDPE canister with HDPE screwed cap. In addition, exclusively for D-HDL (product 3.1): 100, 125, 150, 500, 1000 ml in white HDPE bottles with PP flip top caps; 5000 ml white HDPE canister with HDPE screwed cap. In addition, exclusively for B-HDL (product 3.3): 700 ml Pouch of transparent PE composite foil with integrated PP pump; 75 ml transparent/white HDPE bottle with PP flip top cap.</p>

4.1.1 Use-specific instructions for use

The products can be applied directly or the products can be used in a dispenser or with a pump.
For hygienic handrub use 3 ml of product and keep hands wet for 30 seconds.
Do not refill.

4.1.2 Use-specific risk mitigation measures

See general directions for use of meta SPC 3

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 3

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 3

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 3

4.2 Use description

Use 2 - surgical handrub, liquid

Product type

PT01 - Human hygiene (Disinfectants)

Where relevant, an exact description of the authorised use

Not relevant.

Target organism(s) (including development stage)

Scientific name: other
Common name: Bacteria
Development stage:

Scientific name: other
Common name: Tuberculosis bacilli
Development stage:

Scientific name: other
Common name: Yeasts
Development stage:

	<p>Scientific name: other Common name: enveloped viruses Development stage:</p>
Field(s) of use	<p>Indoor</p> <p>Hospitals and other health care institutions: surgical handrub onto visibly clean and dry hands and forearms. For professional use only.</p>
Application method(s)	<p>Method: Manual application Detailed description: Rubbing</p>
Application rate(s) and frequencies	<p>Application Rate: Dosage: Rub sufficient amount in portions of 3 ml (use dispensers: for example set to 1,5 ml per stroke, 2 strokes per 3 ml). Contact time: 90 s Dilution (%): Ready-to-use product Number and timing of application: There is no restriction in the number and timing of applications. No safety intervals need to be considered between the application phases. The product may be used at any time and as often as required.</p>
Category(ies) of users	<p>Professional</p>
Pack sizes and packaging material	<p>100, 125, 150, 500, 1000 ml in transparent/white high-density polyethylene (HDPE) bottles with polyethylene (PP) flip top caps; 5000 ml transparent/white HDPE canister with HDPE screwed cap. In addition, exclusively for D-HDL (product 3.1): 100, 125, 150, 500, 1000 ml in white HDPE bottles with PP flip top caps; 5000 ml white HDPE canister with HDPE screwed cap. In addition, exclusively for B-HDL (product 3.3): 700 ml Pouch of transparent PE composite foil with integrated PP pump; 75 ml transparent/white HDPE bottle with PP flip top cap.</p>

4.2.1 Use-specific instructions for use

The products can be applied directly or the products can be used in a dispenser or with a pump.
For surgical handrub use as many portions of 3 ml as necessary to keep hands wet for 90 seconds.
Do not refill.

4.2.2 Use-specific risk mitigation measures

See general directions for use of meta SPC 3

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 3

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 3

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 3

5. General directions for use of the meta SPC

5.1. Instructions for use

For professional use only.

5.2. Risk mitigation measures

Avoid contact with eyes.
Keep out of reach of children.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First-aid measures general: Move the affected person away from the contaminated area. Get medical advice/attention if you feel unwell. If possible, show this sheet.

IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTRE or a doctor.

IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.

Information to Healthcare personnel/doctor:

The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid.

IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.

Accidental release measures:

Stop leak if safe to do so. Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking.

Prevent entry to sewers and public waters.

Wipe up with absorbent material (for example cloth). Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Take up mechanically (sweeping, shovelling). Dispose of in accordance with relevant local regulations.

5.4. Instructions for safe disposal of the product and its packaging

Disposal must be done according to official regulations. Do not empty into drains. Do not dispose of with domestic waste. Dispose of contents/container to an authorised waste collection point. Empty the packaging completely prior to disposal. When totally empty, containers are recyclable like any other packing.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life: 24 months

Store in dry, cool, well-ventilated area. Keep container tightly closed. Keep out of direct sunlight.

Recommended storage temperature: 0-30°C

Do not store at temperatures below 0°C

Do not store near food, drink and animal feedingstuff. Keep away from combustible material.

6. Other information

--

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	D-HDL	Market area: EU
Authorisation number <small>(R4BP 3 asset reference number - National Authorisation)</small>	EU-0027467-0005 1-3	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	12,229
Propan-2-ol		Active Substance	67-63-0	200-661-7	62,751

Trade name(s)	G-HDL	Market area: EU
Authorisation number <small>(R4BP 3 asset reference number - National Authorisation)</small>	EU-0027467-0006 1-3	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	14,3
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,14

Trade name(s)

B-HDL

Market area: EU

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

EU-0027467-0007 1-3

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	14,3
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,14

1. Meta SPC administrative information

1.1. Meta SPC identifier

meta SPC 4

1.2. Suffix to the authorisation number

1-4

1.3 Product type(s)

PT01 - Human hygiene (Disinfectants)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	30 - 32,5
Propan-2-ol		Active Substance	67-63-0	200-661-7	45 - 45

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Highly flammable liquid and vapour.
Causes serious eye damage.
May cause drowsiness or dizziness.
Repeated exposure may cause skin dryness or cracking.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. -
No smoking.
Keep container tightly closed.

Avoid breathing vapours.

Use only outdoors or in a well-ventilated area.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of container to an authorised waste collection point.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - hygienic handrub, gel

Product type

PT01 - Human hygiene (Disinfectants)

Where relevant, an exact description of the authorised use

Not relevant

Target organism(s) (including development stage)

Scientific name: other
Common name: Bacteria
Development stage:

Scientific name: other
Common name: Mycobacteria
Development stage:

Scientific name: other
Common name: Yeasts
Development stage:

Scientific name: other
Common name: Enveloped viruses
Development stage:

Field(s) of use

Indoor

- hospitals and other health care institutions, ambulances, surgeries, nursing homes (including home-care of patients)
- hospital canteens, large kitchens, pharmaceutical industries, production sites, laboratories: hygienic handrub onto visibly clean and dry hands.
- For professional use only.

Application method(s)

Method: Manual application
Detailed description:
Rubbing

Application rate(s) and frequencies

Application Rate: Dosage: At least 3 ml (use dispensers: for example set to 1,5 ml per stroke, 2 strokes per 3 ml). Contact time: 30 s
Dilution (%): Ready-to-use product
Number and timing of application:
There is no restriction in the number and timing of applications. No safety intervals need to be considered between the application phases.
The product may be used at any time and as often as required.

Category(ies) of users

Industrial
Professional

Pack sizes and packaging material

100, 125, 500, 1000 ml in transparent/white high-density polyethylene (HDPE) bottles with polypropylene (PP) flip top caps;
5000 ml transparent/white HDPE canister with HDPE screwed cap.
In addition, exclusively for E-HDG (product 4.2): 500 and 1000 ml in transparent HDPE lightweight bottle with integrated PP pump.

4.1.1 Use-specific instructions for use

The products can be applied directly or the products can be used in a dispenser or with a pump.
For hygienic handrub use 3 ml of product and keep hands wet for 30 seconds.
Do not refill.

4.1.2 Use-specific risk mitigation measures

See general directions for use of meta SPC 4

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 4

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 4

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 4

4.2 Use description

Use 2 - surgical handrub, gel

Product type

PT01 - Human hygiene (Disinfectants)

Where relevant, an exact description of the authorised use

Not relevant

Target organism(s) (including development stage)

Scientific name: other
Common name: Bacteria
Development stage:

Scientific name: other
Common name: Mycobacteria
Development stage:

Scientific name: other
Common name: Yeasts
Development stage:

Scientific name: other
Common name: enveloped viruses
Development stage:

Field(s) of use

Indoor

Hospitals and other health care institutions: surgical handrub onto visibly clean and dry hands and forearms.
For professional use only.

Application method(s)

Method: Manual application
Detailed description:
Rubbing

Application rate(s) and frequencies

Application Rate: Dosage: Rub sufficient amount in portions of 3 ml (use dispensers: for example set to 1,5 ml per stroke, 2 strokes per 3 ml). Contact time: 90 s
Dilution (%): Ready-to-use product
Number and timing of application:
There is no restriction in the number and timing of applications. No safety intervals need to be considered between the application phases.
The product may be used at any time and as often as required.

Category(ies) of users	Professional
Pack sizes and packaging material	100, 125, 500, 1000 ml in transparent/white high-density polyethylene (HDPE) bottles with polypropylene (PP) flip top caps; 5000 ml transparent/white HDPE canister with HDPE screwed cap. In addition, exclusively for E-HDG (product 4.2): 500 and 1000 ml in transparent HDPE lightweight bottle with integrated PP pump.

4.2.1 Use-specific instructions for use

The products can be applied directly or the products can be used in a dispenser or with a pump.

For surgical handrub use as many portions of 3 ml as necessary to keep hands wet for 90 seconds.

Do not refill.

4.2.2 Use-specific risk mitigation measures

See general directions for use of meta SPC 4

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 4

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 4

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 4

5. General directions for use of the meta SPC

5.1. Instructions for use

For professional use only.

5.2. Risk mitigation measures

Avoid contact with eyes.
Keep out of reach of children.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First-aid measures general: Move the affected person away from the contaminated area. Get medical advice/attention if you feel unwell. If possible, show this sheet.

IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTRE or a doctor.

IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.

Information to Healthcare personnel/doctor:

The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid.

IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.

Accidental release measures: Stop leak if safe to do so. Remove ignition sources. Use special care to avoid static electric charges.

No open flames. No smoking. Prevent entry to sewers and public waters. Wipe up with absorbent material (for example cloth). Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Take up mechanically (sweeping, shovelling).

Dispose of in accordance with relevant local regulations.

5.4. Instructions for safe disposal of the product and its packaging

Disposal must be done according to official regulations. Do not empty into drains. Do not dispose of with domestic waste. Dispose of contents/container to an authorised waste collection point. Empty the packaging completely prior to disposal. When totally empty, containers are recyclable like any other packing.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life: 24 months
Store in dry, cool, well-ventilated area. Keep container tightly closed. Keep out of direct sunlight.
Recommended storage temperature: 0-30°C
Do not store at temperatures below 0°C
Do not store near food, drink and animal feedingstuff. Keep away from combustible material.

6. Other information

--

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	A-HDG	Market area: EU
Authorisation number <small>(R4BP 3 asset reference number - National Authorisation)</small>	EU-0027467-0008 1-4	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	32,5
Propan-2-ol		Active Substance	67-63-0	200-661-7	45

Trade name(s)

E-HDG

Market area: EU

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

EU-0027467-0009 1-4

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	30
Propan-2-ol		Active Substance	67-63-0	200-661-7	45

1. Meta SPC administrative information**1.1. Meta SPC identifier**

meta SPC 5

1.2. Suffix to the authorisation number

1-5

1.3 Product type(s)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	14,3 - 15,5
Propan-2-ol		Active Substance	67-63-0	200-661-7	60 - 63,14

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Highly flammable liquid and vapour.
 Causes serious eye damage.
 May cause drowsiness or dizziness.
 Repeated exposure may cause skin dryness or cracking.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.
 Keep container tightly closed.
 Avoid breathing vapours.
 Use only outdoors or in a well-ventilated area.
 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 Immediately call a POISON CENTER/doctor.

Store in a well-ventilated place.Keep cool.

Store locked up.

Dispose of container to an authorised waste collection point.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - hygienic handrub, gel

Product type	PT01 - Human hygiene (Disinfectants)
Where relevant, an exact description of the authorised use	Not relevant
Target organism(s) (including development stage)	<p>Scientific name: other Common name: Bacteria Development stage:</p> <p>Scientific name: other Common name: Tuberculosis bacilli Development stage:</p> <p>Scientific name: other Common name: Yeasts Development stage:</p> <p>Scientific name: other Common name: Enveloped viruses Development stage:</p>
Field(s) of use	<p>Indoor</p> <ul style="list-style-type: none"> - hospitals and other health care institutions, ambulances, surgeries, nursing homes (including home-care of patients) - hospital canteens, large kitchens, pharmaceutical industries, production sites, laboratories: hygienic handrub onto visibly clean and dry hands. - For professional use only.
Application method(s)	<p>Method: Manual application Detailed description: Rubbing</p>
Application rate(s) and frequencies	<p>Application Rate: Dosage: At least 3 ml (use dispensers: for example set to 1,5 ml per stroke, 2 strokes per 3 ml). Contact time: 30 s Dilution (%): Ready-to-use product Number and timing of application: There is no restriction in the number and timing of applications. No safety intervals need to be considered between the application phases. The product may be used at any time and as often as required.</p>

Category(ies) of users	Industrial Professional
Pack sizes and packaging material	125, 150, 500, 1000 ml in transparent/white high-density polypropylene (HDPE) bottles with polypropylene (PP) flip top caps; 5000 ml transparent/white HDPE canister with HDPE screwed cap. In addition, exclusively for C-HDG (product 5.1): 700 and 1000 ml vacuum bag in white PE composite foil with integrated PP pump/valve and PE cap. In addition, exclusively for B-HDG (product 5.2): 700 ml pouch of transparent PE composite foil with integrated PP pump; 75 ml transparent HDPE bottle with PP flip top cap.

4.1.1 Use-specific instructions for use

The products can be applied directly or the products can be used in a dispenser or with a pump.
For hygienic handrub use 3 ml of product and keep hands wet for 30 seconds.
Do not refill.

4.1.2 Use-specific risk mitigation measures

See general directions for use of meta SPC 5

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 5

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 5

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 5

4.2 Use description

Use 2 - surgical handrub, gel

Product type

PT01 - Human hygiene (Disinfectants)

Where relevant, an exact description of the authorised use

Not relevant

Target organism(s) (including development stage)

Scientific name: other
Common name: Bacteria
Development stage:

Scientific name: other
Common name: Tuberculosis bacilli
Development stage:

Scientific name: other
Common name: Yeasts
Development stage:

Scientific name: other
Common name: enveloped viruses
Development stage:

Field(s) of use

Indoor

Hospitals and other health care institutions: surgical handrub onto visibly clean and dry hands and forearms.
For professional use only.

Application method(s)

Method: Manual application
Detailed description:
Rubbing

Application rate(s) and frequencies

Application Rate: Dosage: Rub sufficient amount in portions of 3 ml (use dispensers: for example set to 1,5 ml per stroke, 2 strokes per 3 ml). Contact time: 90 s
Dilution (%): Ready-to-use product
Number and timing of application:
There is no restriction in the number and timing of applications. No safety intervals need to be considered between the application phases.
The product may be used at any time and as often as required.

Category(ies) of users

Professional

Pack sizes and packaging material

125, 150, 500, 1000 ml in transparent/white high-density polypropylene (HDPE) bottles with polypropylene (PP) flip top caps;

5000 ml transparent/white HDPE canister with HDPE screwed cap.

In addition, exclusively for C-HDG (product 5.1): 700 and 1000 ml vacuum bag in white PE composite foil with integrated PP pump/valve and PE cap.

In addition, exclusively for B-HDG (product 5.2): 700 ml pouch of transparent PE composite foil with integrated PP pump; 75 ml transparent HDPE bottle with PP flip top cap.

4.2.1 Use-specific instructions for use

The products can be applied directly or the products can be used in a dispenser or with a pump.
For surgical handrub use as many portions of 3 ml as necessary to keep hands wet for 90 seconds.
Do not refill.

4.2.2 Use-specific risk mitigation measures

See general directions for use of meta SPC 5

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 5

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 5

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 5

5. General directions for use of the meta SPC

5.1. Instructions for use

For professional use only.

5.2. Risk mitigation measures

Avoid contact with eyes.
Keep out of reach of children.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First-aid measures general: Move the affected person away from the contaminated area. Get medical advice/attention if you feel unwell. If possible, show this sheet.

IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTRE or a doctor.

IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.

Information to Healthcare personnel/doctor:

The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid.

IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.

Accidental release measures:

Stop leak if safe to do so. Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. Prevent entry to sewers and public waters.

Wipe up with absorbent material (for example cloth). Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Take up mechanically (sweeping, shovelling). Dispose of in accordance with relevant local regulations.

5.4. Instructions for safe disposal of the product and its packaging

5.4. Instructions for safe disposal of the product and its packaging

Disposal must be done according to official regulations. Do not empty into drains. Do not dispose of with domestic waste. Dispose of contents/container to an authorised waste collection point. Empty the packaging completely prior to disposal. When totally empty, containers are recyclable like any other packing.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life: 24 months
Store in dry, cool, well-ventilated area. Keep container tightly closed. Keep out of direct sunlight.
Recommended storage temperature: 0-30°C
Do not store at temperatures below 0°C
Do not store near food, drink and animal feedingstuff. Keep away from combustible material.

6. Other information

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

C-HDG

Market area: EU

Authorisation number

EU-0027467-0010 1-5

(R4BP 3 asset reference number - National Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	15,5
Propan-2-ol		Active Substance	67-63-0	200-661-7	60

Trade name(s)

B-HDG

Market area: EU

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

EU-0027467-0011 1-5

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	14,3
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,14

1. Meta SPC administrative information

1.1. Meta SPC identifier

meta SPC 6

1.2. Suffix to the authorisation number

1-6

1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	25 - 35
Propan-2-ol		Active Substance	67-63-0	200-661-7	30 - 40

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Flammable liquid and vapour.
Causes serious eye damage.
May cause drowsiness or dizziness.
Repeated exposure may cause skin dryness or cracking.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. -
No smoking.

Keep container tightly closed.

Avoid breathing vapours.

Use only outdoors or in a well-ventilated area.

Wear eye protection..

IF INHALED:Remove person to fresh air and keep comfortable for breathing.

IF IN EYES:Rinse cautiously with water for several minutes.Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Store in a well-ventilated place.Keep cool.

Store locked up.

Dispose of container to an authorised waste collection point.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - hard non-porous small surface disinfection RTU liquid

Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
Where relevant, an exact description of the authorised use	Not relevant
Target organism(s) (including development stage)	<p>Scientific name: other Common name: Bacteria Development stage:</p> <p>Scientific name: other Common name: Yeasts Development stage:</p> <p>Scientific name: other Common name: viruses (limited spectrum virucidal activity) Development stage:</p>
Field(s) of use	<p>Indoor</p> <p>Health care facilities and pharmaceutical and cosmetic industry, for example patient-near surrounding, working areas/desks, general equipment (excluding food contact surfaces): disinfection of small hard/non-porous surfaces. For professional use only.</p>
Application method(s)	<p>Method: Manual application Detailed description: Ready-to-use surface disinfectant at room temperature (20±2 °C).</p>

	<p>The entire surface to be disinfected is wetted by pouring or spraying from a short distance and subsequently thoroughly wiped with a cloth. The amount of product should be sufficient (max. 50 ml/m² to keep the surface wet during the contact time.</p>
<p>Application rate(s) and frequencies</p>	<p>Application Rate: Minimum exposure time: • for the control of bacteria, yeasts and enveloped viruses: 60 sec • for the control of viruses (limited spectrum virucidal activity): 5 min Dilution (%): Ready-to-use product Number and timing of application: A reasonable frequency of disinfection in a patient's room is 1-2 per day. Maximum number of applications is 6 per day. No safety intervals need to be considered between the application phases.</p>
<p>Category(ies) of users</p>	<p>Industrial Professional</p>
<p>Pack sizes and packaging material</p>	<p>100, 500, 750 and 1000 ml transparent/white high-density polyethylene (HDPE) bottle with polypropylene (PP) flip top caps (accessory: PP screw closure with spray head); 5000 ml transparent/white HDPE canister with HDPE screwed cap.</p>

4.1.1 Use-specific instructions for use

Surfaces should always be visibly clean prior to disinfection. Maximum number of applications is 6 per day.

4.1.2 Use-specific risk mitigation measures

See general directions for use of metaSPC 6

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 6

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 6

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 6

4.2 Use description

Use 2 - hard non-porous small surface disinfection RTU liquid

Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	Not relevant
Target organism(s) (including development stage)	Scientific name: other Common name: Bacteria Development stage: Scientific name: other Common name: Yeasts Development stage:
Field(s) of use	Indoor Health care facilities and in food industry, for example food preparation and handling in kitchens/restaurants: disinfection of small hard/non-porous surfaces. For professional use only.
Application method(s)	Method: Manual application Detailed description: Ready-to-use surface disinfectant at room temperature (20±2 °C). The entire surface to be disinfected is wetted by pouring or spraying from a short distance and subsequently thoroughly wiped with a cloth. The amount of product should be sufficient (max. 50 ml/m ²) to keep the surface wet during the contact time.
Application rate(s) and frequencies	Application Rate: Minimum exposure time: for the control of bacteria and yeasts at 20°C: 60 sec Dilution (%): Ready-to-use product Number and timing of application: The products can be used as often as necessary. A reasonable frequency in kitchens is

	1-2 per day. No safety intervals need to be considered between the application phases.
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	100, 500, 750 and 1000 ml transparent/white high-density polyethylene (HDPE) bottle with polypropylene (PP) flip top caps (accessory: PP screw closure with spray head); 5000 ml transparent/white HDPE canister with HDPE screwed cap.

4.2.1 Use-specific instructions for use

Surfaces should always be visibly clean prior to disinfection.

4.2.2 Use-specific risk mitigation measures

See general directions for use of meta SPC 6

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 6

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 6

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 6

5. General directions for use of the meta SPC

5.1. Instructions for use

For professional use only.

5.2. Risk mitigation measures

The use of eye protection during handling of the product is mandatory.
Keep out of reach of children

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First-aid measures general: Move the affected person away from the contaminated area. Get medical advice/attention if you feel unwell. If possible, show this sheet.

IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTRE or a doctor.

IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.

Information to Healthcare personnel/doctor:

The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid.

IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.

Accidental release measures: Stop leak if safe to do so. Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. Prevent entry to sewers and public waters. Wipe up with absorbent material (for example cloth). Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Take up mechanically (sweeping, shovelling). Dispose of in accordance with relevant local regulations.

5.4. Instructions for safe disposal of the product and its packaging

Disposal must be done according to official regulations. Do not empty into drains. Do not dispose of with domestic waste. Dispose of contents/container to an authorised waste collection point. Empty the packaging completely prior to disposal. When totally empty, containers are recyclable like any other packing.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life: 24 months
Store in dry, cool, well-ventilated area. Keep container tightly closed. Keep out of direct sunlight.
Recommended storage temperature: 0-30°C
Do not store at temperatures below 0°C
Do not store near food, drink and animal feedingstuff. Keep away from combustible material.

6. Other information

--

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)

F-FDL

Market area: EU

Authorisation number

EU-0027467-0012 1-6

(R4BP 3 asset reference number - National Authorisation)

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	25
Propan-2-ol		Active Substance	67-63-0	200-661-7	30

Trade name(s)

A-FDL

Market area: EU

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

EU-0027467-0013 1-6

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	35
Propan-2-ol		Active Substance	67-63-0	200-661-7	35

Trade name(s)

C-FDL

Market area: EU

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

EU-0027467-0014 1-6

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	30
Propan-2-ol		Active Substance	67-63-0	200-661-7	40

Trade name(s)

E-FDL

Market area: EU

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

EU-0027467-0015 1-6

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	25
Propan-2-ol		Active Substance	67-63-0	200-661-7	40

1. Meta SPC administrative information**1.1. Meta SPC identifier**

meta SPC 7

1.2. Suffix to the authorisation number

1-7

1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	14,3 - 14,925
Propan-2-ol		Active Substance	67-63-0	200-661-7	44,73 - 63,14

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Highly flammable liquid and vapour.
Causes serious eye damage.
May cause drowsiness or dizziness.
Repeated exposure may cause skin dryness or cracking.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.
Keep container tightly closed.
Avoid breathing vapours.
Use only outdoors or in a well-ventilated area.
Wear eye protection.
Immediately call a POISON CENTER/doctor.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of container to an authorised waste collection point.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - hard non-porous small surface disinfection RTU liquid

Product type

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

Where relevant, an exact description of the authorised use

Not relevant

Target organism(s) (including development stage)

Scientific name: other
Common name: Bacteria
Development stage:

Scientific name: other
Common name: Yeasts
Development stage:

Scientific name: other
Common name: Enveloped viruses
Development stage:

Field(s) of use

Indoor

Health care facilities and pharmaceutical and cosmetic industry, for example in patient-near surrounding, working areas/desks, general equipment (excluding food contact surfaces): disinfection of small hard/non-porous surfaces.
For professional use only.

Application method(s)

Method: Manual application
Detailed description:

Ready-to-use surface disinfectant at room temperature (20±2 °C).
The entire surface to be disinfected is wetted by pouring or spraying from short distance and subsequently thoroughly wiped with a cloth. The amount of product should be sufficient (max. 50 ml/m²) to keep the surface wet during the contact time.

Application rate(s) and frequencies

Application Rate: Minimum exposure time: • for the control of bacteria, yeasts and enveloped viruses: 60 sec
Dilution (%): Ready-to-use product

	<p>Number and timing of application: A reasonable frequency of disinfection in a patient's room is 1-2 per day. Maximum number of applications is 6 per day. No safety intervals need to be considered between the application phases.</p>
Category(ies) of users	<p>Industrial</p> <p>Professional</p>
Pack sizes and packaging material	<p>125, 150, 500, 1000 ml transparent/white high-density polyethylene (HDPE) bottle with polypropylene (PP) flip top caps (accessory: PP screw closure with spray head); 5000 ml transparent/white HDPE canister with HDPE screwed cap.</p>

4.1.1 Use-specific instructions for use

Surfaces should always be visibly clean prior to disinfection. Maximum number of applications is 6 per day.

4.1.2 Use-specific risk mitigation measures

See general directions for use of meta SPC 7

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 7

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 7

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 7

4.2 Use description

Use 2 - hard non-porous small surface disinfection RTU liquid

Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	Not relevant
Target organism(s) (including development stage)	Scientific name: other Common name: Bacteria Development stage: Scientific name: other Common name: Yeasts Development stage:
Field(s) of use	Indoor Health care facilities and in food industry, for example food preparation and handling in kitchens/restaurants): disinfection of small hard/non-porous surfaces. For professional use only.
Application method(s)	Method: Manual application Detailed description: Ready-to-use surface disinfectant at room temperature (20±2 °C). The entire surface to be disinfected is wetted by pouring or spraying from short distance and subsequently thoroughly wiped with a cloth. The amount of product should be sufficient (max. 50 ml/m ²) to keep the surface wet during the contact time.
Application rate(s) and frequencies	Application Rate: Minimum exposure time: for the control of bacteria and yeasts at 20°C: 60 sec Dilution (%): Ready-to-use product Number and timing of application: The products can be used as often as necessary. A reasonable frequency in kitchens is 1-2 per day. No safety intervals need to be considered between the application phases.
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	125, 150, 500, 1000 ml transparent/white high-density polyethylene (HDPE) bottle with polypropylene (PP) flip top caps (accessory: PP screw closure with spray head); 5000 ml transparent/white HDPE canister with HDPE screwed cap.

4.2.1 Use-specific instructions for use

Surfaces should always be visibly clean prior to disinfection.

4.2.2 Use-specific risk mitigation measures

See general directions for use of meta SPC 7

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 7

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 7

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 7

5. General directions for use of the meta SPC

5.1. Instructions for use

For professional use only.

5.2. Risk mitigation measures

5.2. Risk mitigation measures

The use of eye protection during handling of the product is mandatory.
Keep out of reach of children.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First-aid measures general: Move the affected person away from the contaminated area. Get medical advice/attention if you feel unwell. If possible show this sheet.

IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTRE or a doctor.

IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse.

Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.

Information to Healthcare personnel/doctor:

The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid.

IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.

Accidental release measures: Stop leak if safe to do so. Remove ignition sources. Use special care to avoid static electric charges.

No open flames. No smoking. Prevent entry to sewers and public waters. Wipe up with absorbent material (for example cloth). Soak

up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Take up mechanically (sweeping, shovelling).

Dispose of in accordance with relevant local regulations.

5.4. Instructions for safe disposal of the product and its packaging

Disposal must be done according to official regulations. Do not empty into drains. Do not dispose of with domestic waste. Dispose of contents/container to an authorised waste collection point. Empty the packaging completely prior to disposal. When totally empty, containers are recyclable like any other packing.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life: 24 months

Store in dry, cool, well-ventilated area. Keep container tightly closed. Keep out of direct sunlight.

Recommended storage temperature: 0-30°C

Do not store at temperatures below 0°C

Do not store near food, drink and animal feedingstuff. Keep away from combustible material.

6. Other information

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	D-FDL	Market area: EU
Authorisation number <small>(R4BP 3 asset reference number - National Authorisation)</small>	EU-0027467-0016 1-7	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	14,925
Propan-2-ol		Active Substance	67-63-0	200-661-7	44,73

Trade name(s)	B-FDL	Market area: EU
Authorisation number <small>(R4BP 3 asset reference number - National Authorisation)</small>	EU-0027467-0017 1-7	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	14,3
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,14

1. Meta SPC administrative information

1.1. Meta SPC identifier

meta SPC 8

1.2. Suffix to the authorisation number

1-8

1.3 Product type(s)

PT02 - Disinfectants and algacides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	25 - 30
Propan-2-ol		Active Substance	67-63-0	200-661-7	30 - 40

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Flammable liquid and vapour.
Causes serious eye damage.
May cause drowsiness or dizziness.
Repeated exposure may cause skin dryness or cracking.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.
Keep container tightly closed.
Avoid breathing vapours.
Use only outdoors or in a well-ventilated area.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER or doctor/physician..
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of container to an authorised waste collection point.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - hard non-porous small surface disinfection RTU wipes

Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
Where relevant, an exact description of the authorised use	Not relevant
Target organism(s) (including development stage)	<p>Scientific name: other Common name: Bacteria Development stage:</p> <p>Scientific name: other Common name: Yeasts Development stage:</p> <p>Scientific name: other Common name: viruses (limited spectrum virucidal activity) Development stage:</p>
Field(s) of use	<p>Indoor</p> <p>Health care facilities and pharmaceutical and cosmetic industry, for example patient-near surrounding, working areas/desks, general equipment (excluding food contact surfaces): disinfection of small hard/non-porous surfaces. For professional use only.</p>
Application method(s)	<p>Method: Manual application Detailed description: Ready-to-use disinfectant wipes at room temperature (20±2 °C).</p> <p>The surface to be disinfected is wiped and wetted with a sufficient amount of the product, ensuring complete coverage.</p>
Application rate(s) and frequencies	<p>Application Rate: Minimum exposure time: • for the control of bacteria, yeasts and enveloped viruses: 60 sec • for the control of viruses (limited spectrum virucidal activity): 5 min; Make the surface completely wet. Dilution (%): Ready-to-use product Number and timing of application: A reasonable frequency of disinfection in a patient's room is 1-2 per day. Maximum number of applications is 6 per day. No safety intervals need to be considered between the application phases.</p>
Category(ies) of users	<p>Industrial</p> <p>Professional</p>
Pack sizes and packaging material	<p>Flow-pack of white polyethylene (PE)-composite foil with polypropylene (PP) Flap cover, containing 40 30% Viscose and 70% Polyethylene Terephthalate (VIS/PET) wipes. Exclusively for C-FDT (product 8.2): Transparent high-density polyethylene (HDPE) Canister with PP screwed cap, containing 30 PET wipes; Dispenser bag of white PE composite foil, containing 30 or 90 PET wipes used with dispenser box.</p>



4.1.1 Use-specific instructions for use

Surfaces should always be visibly clean prior to disinfection. Maximum number of applications is 6 per day.

4.1.2 Use-specific risk mitigation measures

See general directions for use of meta SPC 8.

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 8.

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 8

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 8

4.2 Use description

Use 2 - hard non-porous small surface disinfection RTU wipes

Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	Not relevant
Target organism(s) (including development stage)	<p>Scientific name: other Common name: Bacteria Development stage:</p> <p>Scientific name: other Common name: Yeasts Development stage:</p>
Field(s) of use	<p>Indoor</p> <p>Health care facilities and food industry, for example food preparation and handling in kitchens/restaurants): disinfection of small hard/non-porous surfaces. For professional use only.</p>
Application method(s)	<p>Method: Manual application Detailed description:</p> <p>Ready-to-use disinfectant wipes at room temperature (20±2 °C) . The surface to be disinfected is wiped and wetted with a sufficient amount of the product by wiping, ensuring complete coverage.</p>
Application rate(s) and frequencies	<p>Application Rate: Minimum exposure time: • for the control of bacteria and yeasts at 20°C: 60 sec; Make the surface completely wet Dilution (%): Ready-to-use product Number and timing of application:</p> <p>The product can be used as often as necessary. A reasonable frequency of disinfection in kitchens is 1-2 per day. No safety intervals need to be considered between the application phases.</p>
Category(ies) of users	<p>Industrial</p> <p>Professional</p>
Pack sizes and packaging material	<p>Flow-pack of white polyethylene (PE)-composite foil with polypropylene (PP) Flap cover, containing 40 30% viscose and 70% polyethylene terephthalate (VIS/PET) wipes. Exclusively for C-FDT (product 8.2): Transparent high-density polyethylene (HDPE) Canister with PP screwed cap, containing 30 PET wipes; Dispenser bag of white PE composite foil, containing 30 or 90 PET wipes used with dispenser box.</p>



4.2.1 Use-specific instructions for use

Surfaces should always be visibly clean prior to disinfection.

4.2.2 Use-specific risk mitigation measures

See general directions for use of meta SPC 8

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 8

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 8

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 8

5. General directions for use of the meta SPC

5.1. Instructions for use

For professional use only.

For wipes reseal the package after opening.

5.2. Risk mitigation measures

Avoid contact with eyes.
Keep out of reach of children.

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First-aid measures general: Move the affected person away from the contaminated area. Get medical advice/attention if you feel unwell. If possible show this sheet.

IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTRE or a doctor.

IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.

Information to Healthcare personnel/doctor:

The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid.

IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.

Accidental release measures:

Stop leak if safe to do so. Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. Prevent entry to sewers and public waters.

Wipe up with absorbent material (for example cloth). Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Take up mechanically (sweeping, shovelling). Dispose of in accordance with relevant local regulations.

5.4. Instructions for safe disposal of the product and its packaging

Disposal must be done according to official regulations. Do not empty into drains. Do not dispose of with domestic waste. Dispose of contents/container to an authorised waste collection point. Empty the packaging completely prior to disposal. When totally empty, containers are recyclable like any other packing.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life: 24 months

Store in dry, cool, well-ventilated area. Keep container tightly closed. Keep out of direct sunlight.

Recommended storage temperature: 0-30°C

Do not store at temperatures below 0°C

Do not store near food, drink and animal feedingstuff. Keep away from combustible material.

--

6. Other information

--

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	F-FDT	Market area: EU
Authorisation number <small>(R4BP 3 asset reference number - National Authorisation)</small>	EU-0027467-0018 1-8	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	25
Propan-2-ol		Active Substance	67-63-0	200-661-7	30

Trade name(s)	C-FDT	Market area: EU
----------------------	-------	-----------------

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

EU-0027467-0019 1-8

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	30
Propan-2-ol		Active Substance	67-63-0	200-661-7	40

1. Meta SPC administrative information

1.1. Meta SPC identifier

meta SPC 9

1.2. Suffix to the authorisation number

1-9

1.3 Product type(s)

PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)

PT04 - Food and feed area (Disinfectants)

2. Meta SPC composition

2.1. Qualitative and quantitative information on the composition of the meta SPC

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	14,3 - 14,925
Propan-2-ol		Active Substance	67-63-0	200-661-7	44,73 - 63,14

2.2. Type(s) of formulation of the meta SPC

Formulation(s)

AL - Any other liquid

3. Hazard and precautionary statements of the meta SPC

Hazard statements

Highly flammable liquid and vapour.
Causes serious eye damage.
May cause drowsiness or dizziness.
Repeated exposure may cause skin dryness or cracking.

Precautionary statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. - No smoking.
Keep container tightly closed.
Avoid breathing vapours.
Use only outdoors or in a well-ventilated area.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents to an authorised waste collection point.

4. Authorised use(s) of the meta SPC

4.1 Use description

Use 1 - hard non-porous small surface disinfection RTU wipes

Product type	PT02 - Disinfectants and algaecides not intended for direct application to humans or animals (Disinfectants)
Where relevant, an exact description of the authorised use	Not relevant
Target organism(s) (including development stage)	Scientific name: other Common name: Bacteria Development stage: Scientific name: other Common name: Yeasts Development stage: Scientific name: other Common name: Enveloped viruses Development stage:
Field(s) of use	Indoor Health care facilities and pharmaceutical and cosmetic industry, for example patient-near surrounding, working areas/desks, general equipment (excluding food contact surfaces): disinfection of small hard/non-porous surfaces For professional use only.
Application method(s)	Method: Manual application Detailed description: Ready-to-use disinfectant wipes at room temperature (20±2 °C) . The surface to be disinfected is wiped and wetted with a sufficient amount of the product, ensuring complete Coverage.
Application rate(s) and frequencies	Application Rate: Minimum exposure time: for the control of bacteria, yeasts and enveloped viruses: 60 sec; Make the surface completely wet. Dilution (%): Ready-to-use product Number and timing of application: A reasonable frequency of disinfection in a patient's room is 1-2 per day. Maximum number of applications is 6 per day. No safety intervals need to be considered between the application phases.
Category(ies) of users	Industrial Professional
Pack sizes and packaging material	

Flow-pack of polyethylene (PE) composite foil with high-density polyethylene (HDPE) Flap cover, containing 80 Cellulose wipes;
Dispenser bag of PE composite foil, containing 70 Cellulose wipes used with dispenser box

Exclusively for B-FDT (product 9.2):
Dispenser of PE composite foil with screwed-in PE cap, containing 100 PP/PE wipes.

4.1.1 Use-specific instructions for use

Surfaces should always be visibly clean prior to disinfection. Maximum number of applications is 6 per day.

4.1.2 Use-specific risk mitigation measures

See general directions for use of meta SPC 9

4.1.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 9

4.1.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 9

4.1.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 9

4.2 Use description

Use 2 - hard non-porous small surface disinfection RTU wipes

Product type	PT04 - Food and feed area (Disinfectants)
Where relevant, an exact description of the authorised use	Not relevant
Target organism(s) (including development stage)	Scientific name: other Common name: Bacteria Development stage: Scientific name: other Common name: Yeasts Development stage:
Field(s) of use	Indoor Health care facilities and food industry, for example patient-care surrounding, food preparation and handling in kitchens/restaurants): disinfection of small hard/non-porous surfaces. For professional use only.
Application method(s)	Method: Manual application Detailed description: Ready-to-use disinfectant wipes at room temperature (20±2 °C) . The surface to be disinfected is wetted with a sufficient amount of the product by wiping, ensuring complete coverage.
Application rate(s) and frequencies	Application Rate: Minimum exposure time: for the control of bacteria and yeasts at 20°C: 60 sec; Make the surface completely wet. Dilution (%): Ready-to-use product Number and timing of application: The product can be used as often as necessary. A reasonable frequency of disinfection in kitchens is 1-2 per day. No safety intervals need to be considered between the application phases.
Category(ies) of users	Industrial Professional

Pack sizes and packaging material

Flow-pack of polyethylene (PE) composite foil with high-density polyethylene (HDPE) Flap cover, containing 80 Cellulose wipes;
Dispenser bag of PE composite foil, containing 70 Cellulose wipes used with dispenser box

Exclusively for B-FDT (product 9.2):
Dispenser of PE composite foil with screwed-in PE cap, containing 100 PP/PE wipes.

4.2.1 Use-specific instructions for use

Surfaces should always be visibly clean prior to disinfection.

4.2.2 Use-specific risk mitigation measures

See general directions for use of meta SPC 9

4.2.3 Where specific to the use, the particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

See general directions for use of meta SPC 9

4.2.4 Where specific to the use, the instructions for safe disposal of the product and its packaging

See general directions for use of meta SPC 9

4.2.5 Where specific to the use, the conditions of storage and shelf-life of the product under normal conditions of storage

See general directions for use of meta SPC 9

5. General directions for use of the meta SPC

5.1. Instructions for use

For professional use only.

For wipes reseal the package after opening.

5.2. Risk mitigation measures

Avoid contact with eyes.

Keep out of reach of children

5.3. Particulars of likely direct or indirect effects, first aid instructions and emergency measures to protect the environment

First-aid measures general: Move the affected person away from the contaminated area. Get medical advice/attention if you feel unwell. If possible, show this sheet.

IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTRE or a doctor.

IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse.

Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.

Information to Healthcare personnel/doctor:

The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid.

IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting.

Call 112/ambulance for medical assistance.
Accidental release measures: Stop leak if safe to do so. Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. Prevent entry to sewers and public waters. Wipe up with absorbent material (for example cloth). Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Take up mechanically (sweeping, shovelling). Dispose of in accordance with relevant local regulations.

5.4. Instructions for safe disposal of the product and its packaging

Disposal must be done according to official regulations. Do not empty into drains. Do not dispose of with domestic waste. Dispose of contents/container to an authorised waste collection point. Empty the packaging completely prior to disposal. When totally empty, containers are recyclable like any other packing.

5.5. Conditions of storage and shelf-life of the product under normal conditions of storage

Shelf-life: 24 months
Store in dry, cool, well-ventilated area. Keep container tightly closed. Keep out of direct sunlight.
Recommended storage temperature: 0-30°C
Do not store at temperatures below 0°C
Do not store near food, drink and animal feedingstuff. Keep away from combustible material.

6. Other information

7. Third information level: individual products in the meta SPC

7.1 Trade name(s), authorisation number and specific composition of each individual product

Trade name(s)	D-FDT	Market area: EU
Authorisation number <small>(R4BP 3 asset reference number - National Authorisation)</small>	EU-0027467-0020 1-9	

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	14,925
Propan-2-ol		Active Substance	67-63-0	200-661-7	44,73

Trade name(s)

B-FDT

Market area: EU

Authorisation number

(R4BP 3 asset reference number - National Authorisation)

EU-0027467-0021 1-9

Common name	IUPAC name	Function	CAS number	EC number	Content (%)
Propan-1-ol		Active Substance	71-23-8	200-746-9	14,3
Propan-2-ol		Active Substance	67-63-0	200-661-7	63,14